





Armored Mercedes-Benz 5550

# ALPINE ARMORING INC.

alpineco.com

Table of Contents	Page 2
Vehicle Specifications	Page 3
Opaque Armor Details	Page 4
Transparent Armor Details	Page 5
Additional Features	Page 6
Completed Vehicle Photos	Page 7-8
Ballistic Reference Chart	Page 9
Vehicle Warranty	Page 10

#### **GENERAL SPECIFICATIONS**

VIN: WDDUG8FBXGA215805

MAKE: Mercedes Benz

MODEL: S550 4MATIC

YEAR: 2016

**ENGINE:** 4.7L V8 Gasoline

POWER: **449** hp @ 5,200 rpm

TRANSMISSION: 7-Speed Auto w/Shift Paddles

COLOR: Black

Crystal Grey Seashe Leather **INTERIOR:** 

**SEATING:** 2 + 3

6,800 lbs. (3,084 kg) **APPROX. WEIGHT:** 

#### **OTHER SPECIFICATIONS**

HEIGHT:

59 in.

(149 cm)

WIDTH:

84 in.

(212 cm)

LENGTH:

206.5 in.

(524 cm)

WHEELBASE:

124.6 in.

(316 cm)





#### **Firewall**

Ballistic steel lines the firewall and provides protection up front.



Roof is lined with ballistic steel at angle.



4-1



#### **Floor**

Floor is lined with ballistic steel to protect against mines and grenade blasts.

4-2

#### **Doors**

All doors are lined with ballistic steel.





#### **Exhaust Protection**

The exhaust is protected by a steel mesh to prevent sabotage.

4-3

### **Heavy-Duty Hinges**

Custom hinges that will withstand the weight of the armored doors.





#### **Overlaps**

All doors and windows feature ballistic steel overlaps to keep shrapnel from angle shots from entering the cabin.

4-4

#### **Wheel Wells**

Front and rear wheel wells are lined with ballistic steel.





"no one protects you **better**."





#### **Glass Thickness**

Minimum up to 39 mm thick glass/polycarbonate composite transparent armor.

5-1



#### **Anti-Spall Layer**

Inner-most anti-spall layer prevents glass and bullet fragments from penetrating into passenger cabin area.

5-2



#### **Multi-Hit Protection**

All windows are capable of sustaining multiple hits while providing protection to passengers.

5-3



#### **Anchored Windows**

All windows are anchored for additional protection from explosions.

5-4







#### P.A./Multi-Siren System

Located on the center console. The multi-siren features standard siren tones, volume adjustment, and a public address system.

6-1

#### **Emergency Lighting**

Red/blue LED lights are mounted in the front grill and visor area.

6-5





#### **Power Windows**

The front two windows are powered and lower approximately 5-6 inches for documents pass-thru.

6-2

#### **Battery Protection**

The battery is encased in a ballistic steel box.

6-6





#### **ECM Protection**

Electronic control module is encased in a ballistic steel box.

6-3

#### **Fuel Tank Protection**

The fuel tank is encased in a ballistic steel box to protect against mines and grenades.

6-7





#### **Special Door Overlaps**

All doors and windows feature built in ballistic steel overlaps.

6-4

#### **Undercarriage Protection**

Ballistic steel to protect all undercarriage of vehicle.

6-8




















































A										"no one protects you better"		
WEAPONS	SPECS			LEVELS				BULLETS			NUMBER OF SHOTS	
4	ТҮРЕ	CALIBER (mm)	CLASS	STANAG	UL	ALPINE	NIJ	CEN	MASS (g)	MATERIAL	VELOCITY	NUMBER OF SHUTS
	.38 Special	9 x 19	Handgun	-	1	A1	I.II.IIA	-	8.00	rca	358 M/S	
	.357 Magnum	9 x 33	Handgun	-	2	A2	I.IIA	B1 & B3	10.20	JSP	430 M/S	
	.44 Magnum	11 x 33	Handgun	-	3	АЗ	IIIA	B4	15.60	LWC	440 M/S	
1	MP5	9 x 19	SMG	-	6	A4	IIIA	B2	8.00	ľCO	<b>427</b> M/S	5 ===
	Shotgun	12 Gauge	Shotgun	-	3 & 4	Aã	IIIA	SG2	28.30	SLUG	503 M/S	3
	Tokarev	7.62 x 25	Handgun	-	-	A5	IIIA	-	5.50	LCSJ	488 M/S	-i
	Kalashnikov (AK-47)	7.62 x 39	Assault Rifle	-	-	A6	III	B5	9.70	SCCI	<b>732</b> M/s	
-	Kalashnikov (AK-47 Military)	7.62 x 39 API BZ	Assault Rifle	II	_	A7	_	B5+	11.70	2CC1	774 M/s	
PATH	M16/AR-15	5.56 x 45 NATO SS109 5.56 x 45 NATO Ball	Assault Rifle	1	7	A8	IV	B5	4.00	rcci 2cci	900 M/s 833 M/s	3
-	Winchester .308	7.62 x 51	Rifle	1	7	A9	III	B6	10.90	rcci	810 M/s	5
	Remington 700 SPS	742 × 63 AP (.30-06)	High-Power Rifle	III	5 & 8	A10	IV	B7-	10.80 8.40	AP	869 M/s 930 M/s	5
	Dragunov	7.62 x 54R B32 API	Sniper Rifle	111	-	A11	IV+	B7+	10.04	2CC1	854 M/S	
	50 Cal	12.7 x 99	High-Power Rifle	IV	10	A12	-	-	45.00	CJ	908 M/s	



UL ...... Underwriters Laboratory, 752

NIJ ...... National Institute of Justice, 0108.01

CEN ..... European Standard

STANAG ... NATO's Standard (STANAG 4569)

ALPINE .... Alpine Armoring's Certified Standard

LCCJ ...... Lead Core Copper Jacket JSP ...... Jacketed Soft Point

LWC ...... Lead Wad Cutter

LCSJ ...... Lead Core Steel Jacket SCCJ ...... Steel Core Copper Jacket

AP ...... Armor Piercing

SG ..... Shotgun

Shots (5) .... 11.4 cm Square Pattern (Corners & Center)

Shots (3) .... 11.4 cm Triangular Pattern

Velocity ..... Minimum Measured Velocity

NIJ Rating .. Levels I, II, IIA, & IIIA (based on 1 of 2 required calibers of ballistic threat)











## WARRANTY

#### **MERCEDES-BENZ S550 4MATIC**

This vehicle, as proposed to the client, would be under Alpine Armoring's premium warranty covering all its armored parts and labor as well as all added accessories for one full year, effective the day of sale. Additional warranty for longer period is available upon request.

Alpine Armoring Inc. hereby honors this warranty, in the United States and worldwide, against any and all related manufacturer's defects, including parts and labor.

MANAGEMENT AUTHORIZED ALPINE ARMORING INC. HERNDON, VIRGINIA, USA

DATE ISSUED

