

ARMORED MERCEDES-BENZ S 580  
NEW GENERATION BODY STYLE



**LEVEL A9**

AGAINST 7.62 x 39mm, 5.56 x 45mm, 7.62 x 51mm



# VEHICLE SPECIFICATIONS

## BASE CHASSIS SPECIFICATIONS

**MAKE:** Mercedes-Benz  
**MODEL:** S 580 4MATIC  
**ENGINE:** 4.0L V8 Biturbo Petrol  
**POWER:** 496 hp & 516 Torque LB-FT  
**TRANSMISSION:** 9G-Tronic 9-Speed Automatic  
**TIRES:** 19 in (W/Run-Flat System)  
**COLOR:** Black  
**INTERIOR:** Black Nappa Leather  
**SEATING:** 2 + 3  
**APPROX. WEIGHT:** 6,400 lbs. (2,902 kg)

**HEIGHT:**  
**59 in.**  
(149 cm)

**WIDTH:**  
**83 in.**  
(210 cm)

**LENGTH:**  
**204 in.**  
(518 cm)

**WHEELBASE:**  
**122 in.**  
(309 cm)



ALPINE ARMORING INC.





ALPINE ARMORING INC.

3

"no one protects you better."



## Firewall

Ballistic steel or composite material firewall provides protection from explosion and different angle of attacks.


3-1



## Floor

Floor is lined with ballistic steel or composite to protect against mines and grenade blasts.

3-3



## Battery Protection

Fully enclosed in serviceable ballistic steel casings.

3-5



## Overlaps

All doors and windows feature ballistic steel overlaps to keep shrapnel from angle shots from entering the cabin.

3-7

## Roof

Roof is lined with ballistic steel or composite to protect against penetration at an angle and vehicle stability.

3-2



## Doors

All doors are made from ballistic steel or composite material.


3-4



## Rear VIP Protection

Customized ballistic rear section completely made out of certified ballistic steel.

3-6



## Wheel Wells


Front and rear wheel wells are lined with ballistic steel.

3-8





ALPINE ARMORING INC.



### Glass Armor

Minimum 40 mm thick glass/polycarbonate composite A9/NIJ III transparent armor installed on the vehicle.

4-1



### Anti-Spall Layer

Inner-most anti-spall layer prevents glass and bullet fragments from penetrating into passenger cabin area and is free of any optical distortion and discoloration.

4-2



### Multi-Hit Protection

All windows are capable of sustaining multiple hits while providing protection to passengers.


4-3



### Customized Actuators

The front 2 windows are equipped with special custom-designed heavy duty actuator mechanism to allow for faster and quieter operation with maximum traveling distance.

4-4





ALPINE ARMORING INC.

"no one protects you better."



### P.A./Multi-Siren System

Located on the center console. The multi-siren features standard siren tones, volume adjustment, and a public address system.

5-1

### Battery Protection

The battery is encased in a ballistic steel box to protect it.

5-5



### Power Windows


The front driver and passenger window are powered and lower approximately 4 - 6 inches.

5-2

### Fuse Box Protection

The fuse box is protected by a ballistic steel box.

5-6



### Rear VIP Protection

Ballistic Steel Bulkhead behind rear seats protecting incoming rounds

5-3

### Fuel Tank Protection

Fuel tank is protected by a ballistic steel box. Protects from two simultaneous grenades.

5-7



### Run-Flat Inserts

Vehicle will be equipped with full-size run-flat inserts in each tire.

5-4

### Tailpipe Protection

The tailpipe features a special mesh that prevents the tailpipe from being sabotaged.

5-8





ALPINE ARMORING INC.

6

"no one protects you better."



This image is property of Alpine Armoring

### Upgraded Braking

The vehicle's braking system (rotors & pads) will be upgraded to accommodate the added armor weight.

6-1

### Sunroof Delete

Following Items will be deleted upon completion:

- Sunroof/Moonroof

6-5



This image is property of Alpine Armoring



This image is property of Alpine Armoring

### Ballistic Door Overlap

Each door is equipped with ballistic steel overlap with added custom bullet-catchers wrapped in high quality leather or vinyl.

6-2

### OEM Air Ride Suspension

Auto 4-wheel level control helps compensate for additional cargo or passengers. It also lowers the ride height at higher speeds for improved aerodynamics, stability and efficiency.

6-6



This image is property of Alpine Armoring



This image is property of Alpine Armoring

### OEM Appearance

The exterior of the vehicle with the VIP Armoring conversion will maintain the OEM appearance of the factory vehicle.

6-3


### External Car Microphone

Sleek, low profile microphone installed in the exterior of the vehicle (so you don't open your windows to speak).

6-7



This image is property of Alpine Armoring



This image is property of Alpine Armoring

### P.A./Multi-Siren System

Located on the center console. The multi-siren features standard siren tones, volume adjustment, and a public address system.

6-4

### Emergency Lights Package

Alpine will install flashing Red/Blue LED lights hidden in the front grille and wired to the PA controller.

6-8



This image is property of Alpine Armoring



COMPLETED VEHICLE PHOTOS: EXTERIOR



ALPINE ARMORING INC.

7

"no one protects you better."



# COMPLETED VEHICLE PHOTOS: EXTERIOR



ALPINE ARMORING INC.



8-1



8-2



8-3



8-4







# COMPLETED VEHICLE PHOTOS: INTERIOR

ALPINE ARMORING INC.



9-1



9-2



9-3



9-4



# ALPINE ARMORING'S BALLISTIC CHART

WEAPONS	SPECS			LEVELS					BULLETS			NUMBER OF SHOTS	
	TYPE	CALIBER (mm)	CLASS	STANAG	UL	ALPINE	NIJ	CEN	MASS (g)	MATERIAL	VELOCITY		
	.38 Special	9 x 19	Handgun	—	1	A1	I,II,IIA	—	8.00	LCCJ	358 M/S	5	
	.357 Magnum	9 x 33	Handgun	—	2	A2	I,IIA	B1 & B3	10.20	JSP	430 M/S	5	
	.44 Magnum	11 x 33	Handgun	—	3	A3	IIIA	B4	15.60	LWC	440 M/S	5	
	MP5	9 x 19	SMG	—	6	A4	IIIA	B2	8.00	LCCJ	427 M/S	5	
	Shotgun	12 Gauge	Shotgun	—	3 & 4	A5	IIIA	SG2	28.30	SLUG	503 M/S	3	
	Tokarev	7.62 x 25	Handgun	—	—	A5	IIIA	—	5.50	LCSJ	488 M/S	5	
	Kalashnikov (AK-47)	7.62 x 39	Assault Rifle	—	—	A6	III	B5	9.70	SCCJ	732 M/S	5	
	Kalashnikov (AK-47 Military)	7.62 x 39 API BZ	Assault Rifle	II	—	A7	—	B5+	11.70	SCCJ	774 M/S	5	
	M16/AR-15	5.56 x 45 NATO SS109 5.56 x 45 NATO Ball	Assault Rifle	I	7	A8	IV	B5	4.00	SCCJ LCCJ	900 M/S 833 M/S	3	
	Winchester .308	7.62 x 51	Rifle	I	7	A9	III	B6	10.90	LCCJ	810 M/S	5	
	Remington 700 SPS	7.62 x 63 AP (.30-06) 7.62 x 51AP (WC core)	High-Power Rifle	III	5 & 8	A10	IV	B7-	10.80 8.40	AP	869 M/S 930 M/S	5	
	Dragunov	7.62 x 54R B32 API	Sniper Rifle	III	—	A11	IV+	B7+	10.04	SCCJ	854 M/S	1	
	.50 Cal	12.7 x 99	High-Power Rifle	IV	10	A12	—	—	45.00	CJ	908 M/S	1	

"no one protects you better"



**UL** ..... Underwriters Laboratory, 752  
**NIJ** ..... National Institute of Justice, 0108.01  
**CEN** ..... European Standard  
**STANAG** ... NATO's Standard (STANAG 4569)  
**ALPINE** .... Alpine Armoring's Certified Standard

**LCCJ** ..... Lead Core Copper Jacket  
**JSP** ..... Jacketed Soft Point  
**LWC** ..... Lead Wad Cutter  
**LCSJ** ..... Lead Core Steel Jacket  
**SCCJ** ..... Steel Core Copper Jacket  
**AP** ..... Armor Piercing  
**SG** ..... Shotgun

**Shots (5)** .... 11.4 cm Square Pattern (Corners & Center)  
**Shots (3)** .... 11.4 cm Triangular Pattern  
**Velocity** ..... Minimum Measured Velocity  
**NIJ Rating** .. Levels I, II, IIA, & IIIA (based on 1 of 2 required calibers of ballistic threat)



ALPINE ARMORING INC.





ALPINE ARMORING INC.



# WARRANTY

## ARMORED MERCEDES-BENZ S580 S-CLASS

This vehicle, as proposed to the client in this quote, would be under Alpine Armoring's premium warranty covering all added armored parts and labor as well as all added accessories for one full year, effective the day of sale. Additional warranty for longer period is available upon request.

Alpine Armoring Inc. hereby honors this warranty in the United States and around the world against any and all related manufacturer's defects, including parts & labor.

MANAGEMENT AUTHORIZED  
ALPINE ARMORING INC.  
CHANTILLY, VIRGINIA, USA

\_\_\_\_\_ DATE ISSUED

