







Against 7.62x39, 5.56x45, 7.62x51, M193, & M80 Ball

## ARMORED TOYOTA LAND CRUISER GXR

# ALPINE ARMORING INC.

alpineco.com

****	
A A	
Aipine	
Armoring	

Table of Content	Page 2
Vehicle Specifications	Page 3
Opaque Armor Details	Page 4
Transparent Armor Details	Page 5
Additional Features	Pages 6-
Completed Vehicle Photos: Exterior	Page 9
Completed Vehicle Photos: Interior	Page 10
Ballistic Reference Chart	Page 11
Vehicle Warranty	Page 12



#### **GENERAL SPECIFICATIONS**

MAKE: Toyota

MODEL: Land Cruiser 200 GXR 4 x 4

VIN: JTMHV01J7K5042926

YEAR: 2018

**ENGINE:** 4.5 L V8 Diesel

**POWER:** 232 hp @/3200 rpm

TRANSMISSION: 6-Speed Automatic

COLOR: Black

INTERIOR: Tan Leather

**SEATING:** 2 + 3 + 2

ARMORED WEIGHT: Approx 9,480 lbs. (4,300 kg.)

#### **OTHER SPECIFICATIONS**

HEIGHT:

75 in.

(190.5 cm)

WIDTH:

78 in.

(198.12 cm)

LENGTH:

200 in.

(508 cm)

WHEELBASE:

112 in.

(284 cm)









#### **Firewall**

Ballistic steel firewall provides protection up front.

4-1

#### Roof

Roof is lined with ballistic steel at angle.





#### **Floor**

Floor is lined with ballistic steel to protect against mines and grenade blasts.

4-3

#### **Doors**

All doors are made from ballistic steel.





#### **Battery Protection**

Entire battery is enclosed in a fully ballistic steel casing.

4-5

#### **Bulkhead**

Customized partition door with viewing window installed and an optional gunport behind rear seats.





#### **Overlaps**

All doors and windows feature ballistic steel overlaps to keep shrapnel from angle shots from entering the cabin.

4-7

#### **Wheel Wells**

Front and rear wheel wells are lined with ballistic steel.





#### **Glass Thickness**

Minimum 40 mm thick glass/polycarbonate composite transparent armor.

5-1



property of Alpine Armoring

#### **Anti-Spall Layer**

Inner-most anti-spall layer prevents glass and bullet fragments from penetrating into passenger cabin area.

5-2



#### **Multi-Hit Protection**


All windows are capable of sustaining multiple hits while providing protection to passengers.

5-3



#### **Anchored Windows**

All windows are anchored for additional protection from explosions.







This Quote is Exclusively Prepared for Republic of Tunisia Consultation N° 39/2018 Lot 03 January 30, 2019



#### P.A./Multi-Siren System

Located on the center console. The multi-siren features standard siren tones, volume adjustment, and a public address system.

6-1



The battery is encased in a ballistic steel box to protect it.





#### **Power Windows**

The front two windows are powered and lower approximately 5-6 inches.

6-3

#### **Fuse Box Protection**

The fuse box is protected by a ballistic steel box.





#### **Strobe Lights**

Two red/blue strobe lights are mounted in the front grill. Controlled using the P.A./siren control unit in the center console.

6-5

#### **Fuel Tank Protection**

Fuel tank is protected by a ballistic steel box. Protects from two simultaneous grenades.





#### **Rear Door Partition**

Separate ballistic steel rear door partition is built in to the rear of the cabin.

6-7

#### **Tailpipe Protection**

The tailpipe features a special mesh that prevents the tailpipe from being sabotaged.









#### **Radiator Protection**

Slotted radiation protection made out of ballistic steel to protect the engine compartment

7-1

#### **Battery Kill Swit**

Battery kill Switch is used to shut off all power to the main battery if needed.





#### **Run-Flats (All Terrain)**

Run-Flat tire inserts installed in all tires; including spare tire. Tires are all terrain type

7-3

#### Front / Rear Shocks

Shocks are upgraded for smoother ride control.





#### 2<sup>nd</sup> Fuel Tank Protection

Underneath and Sump protection plate provides critical off-road protection as well as blast protection against DM51 hand grenades

7-5

#### Fire Extinguisher

Fire Extinguisher installed in the rear corner area of the vehicle.





#### **Sway Bar**

A Sway Bar is attached to the vehicle's frame, it reduces the vehicle body roll and improve handling when cornering.

7-7

#### **Pharmacy Box**

A pharmacy (First Aid Kit) is provided.







### **Portable Air Compressor**

This air Compressor kit comes with everything you need for easy access to portable air.,

8-1

#### **Reinforced Window Frames**

VR7 certified





#### **Antisag Device**

Installed in all doors

8-3

#### **Emergency Exit Port**

Easily designed to reach through and open rear liftgate.





#### **Spare Wheel**

Spare Wheel including a Run-flat System

8-5

#### **Exterior Mic**

An exterior mic is installed under the driver mirror.



















































# 11

## ALPINE ARMORING'S BALLISTIC CHART

A										"no one protects you		
WEAPONS	SPECS				LEVELS				BULLETS			better" NUMBER OF SHOTS
WEAFORS	ТҮРЕ	CALIBER (mm)	CLASS	STANAG	UL	ALPINE	NIJ	CEN	MASS (g)	MATERIAL	VELOCITY	NUMBER OF SHOTS
	.38 Special	9 x 19	Handgun	-	1	A1	I.II.IIA	-	8.00	rcci	358 M/S	-
	.357 Magnum	9 x 33	Handgun	-	2	A2	I.IIA	B1 & B3	10.20	JSP	430 M/S	5
	.44 Magnum	11 x 33	Handgun	-	3	АЗ	IIIA	B4	15.60	LWC	440 M/S	į —
177	MP5	9 x 19	SMG	1-	6	A4	IIIA	B2	8.00	LCCI	427 M/S	<sub>5</sub> $\longrightarrow$
	Shotgun	12 Gauge	Shotgun	-	3 & 4	Aa	IIIA	SG2	28.30	SLUG	503 M/S	3
	Tokarev	7.62 x 25	Handgun	-	-	A5	IIIA	-	5.50	LCSJ	488 M/s	5
	Kalashnikov (AK-47)	7.62 x 39	Assault Rifle	-	-	A6	III	B5	9.70	SCCI	<b>732</b> M/s	
-	Kalashnikov (AK - 47 Military)	7.62 x 39 API BZ	Assault Rifle	11	_	A7	_	B5+	11.70	2001	774 m/s	
PAT	M16/AR-15	5.56 x 45 NATO SS109 5.56 x 45 NATO Ball	Assault Rifle	1	7	A8	IV	B5	4.00	rcci 2cci	900 M/s 833 M/s	
Воррани	Winchester .308	7.62 x 51	Rifle	1	7	A9	III	B6	10.90	rcci	810 M/s	-
	Remington 700 SPS	742 × 63 AP (.30-06)	High-Power Rifle	III	5 & 8	A10	IV	B7-	10.80 8.40	AP	869 M/s 930 M/s	-
	Dragunov	7.62 x 54R B32 API	Sniper Rifle	111	-	A11	IV+	B7+	10.04	2CC1	854 M/S	
	50 Cal	12.7 × 99	High-Power Rifle	IV	10	A12	-	-	45.00	CJ	908 M/s	



UL ...... Underwriters Laboratory, 752

NIJ ...... National Institute of Justice, 0108.01

CEN ..... European Standard

STANAG ... NATO's Standard (STANAG 4569)

ALPINE .... Alpine Armoring's Certified Standard

LCCJ ...... Lead Core Copper Jacket

JSP ...... Jacketed Soft Point

LWC ..... Lead Wad Cutter

LCSJ ...... Lead Core Steel Jacket

SCCJ ...... Steel Core Copper Jacket

AP ...... Armor Piercing

SG ..... Shotgun

Shots (5) .... 11.4 cm Square Pattern (Corners & Center)

Shots (3) .... 11.4 cm Triangular Pattern

Velocity ..... Minimum Measured Velocity

NIJ Rating .. Levels I, II, IIA, & IIIA (based on 1 of 2 required calibers of ballistic threat)







