

ARMORED 2022 JEEP GRAND CHEROKEE L LIMITED

NEW GENERATION BODY STYLE



LEVEL A9

AGAINST 7.62 x 39mm, 5.56 x 45mm, 7.62 x 51mm



VEHICLE SPECIFICATIONS

GENERAL SPECIFICATIONS

MAKE:	Jeep
MODEL:	Grand Cherokee L Limited 4X4
TRIM:	Limited Trim
YEAR:	2021 - NEW
ENGINE:	3.2L V6 Gasoline
POWER:	290 hp
TRANSMISSION:	8-Speed Automatic
COLOR:	Diamond Black
INTERIOR:	Global Black – Capri Leather seats
SEATING:	2 + 2 + 2
FINAL WEIGHT:	7,160 lbs (3,247kg.) Armored

HEIGHT:
71.5 in.
(181.61 cm)

WIDTH:
77.9 in.
(197 cm)

LENGTH:
204.9 in.
(520 cm)

WHEELBASE:
121.7 in.
(309 cm)



ALPINE ARMORING INC.



2
"no one protects you better."





ALPINE ARMORING INC.



Firewall

Minimal-piece Ballistic steel firewall provides protection up front.

3-1



Roof

Lined and seam welded with ballistic steel for protection against angled projectiles.


3-2



Floor

Lined with ballistic steel to protect against explosive threats.

3-3



Doors

Lined with ballistic steel to stop any side and vertical threats.

3-4



Battery Protection

Fully enclosed in serviceable ballistic steel casings.

3-5



Rear Partition Door

Customized ballistic rear swinging partition door with viewing window installed. Manual interior release access for rear hatch included.

3-6



Overlaps

All doors, vertical panels, and windows feature ballistic steel overlaps to keep shrapnel from entering the cabin.

3-7



Wheel Wells

Lined with ballistic steel to prevent against penetration.

3-8





ALPINE ARMORING INC.


4
"no one protects you better."



Glass Armor

Minimum 40 mm thick glass/polycarbonate composite A9/NIJ III transparent armor installed on the vehicle.

4-1



Anti-Spall Layer

Inner-most anti-spall layer prevents glass and bullet fragments from penetrating into passenger cabin area and is free of any optical distortion and discoloration.

4-2



Multi-Hit Protection

All windows are capable of sustaining multiple hits while providing protection to passengers.


4-3



Customized Actuators

The front 2 windows are equipped with special custom-designed heavy duty actuator mechanism to allow for faster and quieter operation with maximum traveling distance.

4-4






ALPINE ARMORING INC.

5

"no one protects you better."



Fuse Box Protection

The fuse box is encased in a ballistic steel box.

5-1



Battery Protection

The battery is encased in a ballistic steel box for protection.

5-5



Power Windows

The front driver and passenger window are powered and lower approximately 4 - 6 inches.

5-2



Fuel Tank Protection

Fuel tank is protected by a ballistic steel box. Protects from two simultaneous grenades and other blasts.

5-6



Quarter Panel Protection

Anchored glass to maintain the factory OEM Glass & look from the outside.

5-3



Tailpipe Protection

The tailpipe features a special mesh that prevents the tailpipe from being sabotaged.


5-7



Run-Flat Inserts

Vehicle will be equipped with full-size run-flat inserts in each tire.

5-4



Undercarriage Protection

Ballistic steel to protect all the undercarriage of the vehicle.

5-8





ALPINE ARMORING INC.



Upgraded Braking


The vehicle's braking system (rotors & pads) will be upgraded to accommodate the added armor weight.

6-1

External Car Microphone

Sleek, low profile microphone installed in the exterior of the vehicle (so you don't open your windows to speak).

6-5



Ballistic Door Overlap

Each door is equipped with ballistic steel overlap with added custom bullet-catchers wrapped in high quality leather or vinyl.

6-2

2nd Row Bucket Seats

Vehicle is equipped with 2nd Row Leather Bucket Seats from the factory.

6-6



OEM Appearance

The exterior of the vehicle with the VIP Armoring conversion will maintain the OEM appearance of the factory vehicle.

6-3

OEM Interior Appearance

The interior of the vehicle with the VIP Armoring conversion will maintain the OEM appearance of the factory vehicle.

6-7



P.A./Multi-Siren System

Located on the center console. The multi-siren features standard siren tones, volume adjustment, and a public address system.

6-4

Emergency Lights Package

Alpine will install flashing Red/Blue LED lights hidden in the front grille and wired to the PA controller.

6-8



COMPLETED VEHICLE PHOTOS: EXTERIOR



ALPINE ARMORING INC.




"no one protects you better."



COMPLETED VEHICLE PHOTOS: EXTERIOR



ALPINE ARMORING INC.



8-1



8-2



8-3



8-4



COMPLETED VEHICLE PHOTOS: INTERIOR



ALPINE ARMORING INC.

9
"no one protects you better."



9-1



9-2



9-3



9-4



ALPINE ARMORING'S BALLISTIC CHART

WEAPONS	SPECS			LEVELS					BULLETS			NUMBER OF SHOTS	
	TYPE	CALIBER (mm)	CLASS	STANAG	UL	ALPINE	NIJ	CEN	MASS (g)	MATERIAL	VELOCITY		
	.38 Special	9 x 19	Handgun	—	1	A1	I,II,IIA	—	8.00	LCCJ	358 M/S	5	
	.357 Magnum	9 x 33	Handgun	—	2	A2	I,IIA	B1 & B3	10.20	JSP	430 M/S	5	
	.44 Magnum	11 x 33	Handgun	—	3	A3	IIIA	B4	15.60	LWC	440 M/S	5	
	MP5	9 x 19	SMG	—	6	A4	IIIA	B2	8.00	LCCJ	427 M/S	5	
	Shotgun	12 Gauge	Shotgun	—	3 & 4	A5	IIIA	SG2	28.30	SLUG	503 M/S	3	
	Tokarev	7.62 x 25	Handgun	—	—	A5	IIIA	—	5.50	LCSJ	488 M/S	5	
	Kalashnikov (AK-47)	7.62 x 39	Assault Rifle	—	—	A6	III	B5	9.70	SCCJ	732 M/S	5	
	Kalashnikov (AK-47 Military)	7.62 x 39 API BZ	Assault Rifle	II	—	A7	—	B5+	11.70	SCCJ	774 M/S	5	
	M16/AR-15	5.56 x 45 NATO SS109 5.56 x 45 NATO Ball	Assault Rifle	I	7	A8	IV	B5	4.00	SCCJ LCCJ	900 M/S 833 M/S	3	
	Winchester .308	7.62 x 51	Rifle	I	7	A9	III	B6	10.90	LCCJ	810 M/S	5	
	Remington 700 SPS	7.62 x 63 AP (.30-06) 7.62 x 51AP (WC core)	High-Power Rifle	III	5 & 8	A10	IV	B7-	10.80 8.40	AP	869 M/S 930 M/S	5	
	Dragunov	7.62 x 54R B32 API	Sniper Rifle	III	—	A11	IV+	B7+	10.04	SCCJ	854 M/S	1	
	.50 Cal	12.7 x 99	High-Power Rifle	IV	10	A12	—	—	45.00	CJ	908 M/S	1	

"no one protects you better"



UL Underwriters Laboratory, 752
NIJ National Institute of Justice, 0108.01
CEN European Standard
STANAG ... NATO's Standard (STANAG 4569)
ALPINE Alpine Armoring's Certified Standard

LCCJ Lead Core Copper Jacket
JSP Jacketed Soft Point
LWC Lead Wad Cutter
LCSJ Lead Core Steel Jacket
SCCJ Steel Core Copper Jacket
AP Armor Piercing
SG Shotgun

Shots (5) 11.4 cm Square Pattern (Corners & Center)
Shots (3) 11.4 cm Triangular Pattern
Velocity Minimum Measured Velocity
NIJ Rating .. Levels I, II, IIA, & IIIA (based on 1 of 2 required calibers of ballistic threat)



ALPINE ARMORING INC.





ALPINE ARMORING INC.



WARRANTY

ARMORED JEEP GRAND CHEROKEE L LIMITED

This vehicle, as proposed to the client in this quote, would be under Alpine Armoring's premium warranty covering all added armored parts and labor as well as all added accessories for one full year, effective the day of sale. Additional warranty for longer period is available upon request.

Alpine Armoring Inc. hereby honors this warranty in the United States and around the world against any and all related manufacturer's defects, including parts & labor.

MANAGEMENT AUTHORIZED
ALPINE ARMORING INC.
CHANTILLY, VIRGINIA, USA

_____ DATE ISSUED

