





A striking design with bold, aggressive lines puts the Hilux at the forefront of modern bakkies the world over. With new highly advanced engines, an updated six-speed* transmission and an even more rigid, robust frame, the legendary status of the Hilux has been taken to a whole new level. Furthermore, six new auto models have been added to the range.

CONSIDERED THE BAKKIE OF CHOICE FOR ANYONE WHO NEEDS TO TACKLE ANY CHALLENGE, THE HILUX WILL WITHOUT A DOUBT BE THE TOUGHEST BAKKIE AROUND. WITH BETTER TORQUE, MORE DRIVING ENJOYMENT, MORE LUXURY COMFORTS AND BETTER STABILITY ON AND OFF-ROAD. THE HILUX SETS THE BAR FOR THE NEXT GENERATION.



DRIVE TOUGH

A NEW GENERATION OF ADVANCED ENGINES GREATLY ENHANCED OUTPUT POWER BETTER TORQUE IMPROVED FUEL CONSUMPTION BETTER LOW SPEED OFF-ROAD PERFORMANCE LOWER CO₂

ACCESSORISED MODEL SHOWN 2.8 GD-6 RB RAIDER 6MT





START


NEW TECHNOLOGY HAS BEEN DEVELOPED TO INCREASE Capacity and Engine Output. Low-speed Torque Capabilities give greater control and Handling, while the Six-speed* transmission UNLEASHES THE BEAST IN SITUATIONS WHERE


ACCELERATION, OVERTAKING OR SPEED IS OF THE


ESSENCE. THE SOPHISTICATED TORQUE MEANS BETTER Fuel consumption and a more enjoyable driving experience.













The 2.4 GD diesel engine poosted with increase has been low- and high-torque options The low-tord 110 kW of power at 3400 r/m and 343 Nm of torque at 1400 2800 r/min. The hiah-toraue 2.4 GD-6 produces 110 kW of powe at 3400 r/min and 400 Nm (torque at 1600-2000 r/mir In the latter, peak torque arrives as early as 1600 r/mir

improving fuel efficiency while still delivering on engagement and acce

The 2.8 GD-6 diesel engine offers torque of 420 Nm at 1400-2600 r/min on the manual transmission. This is provided through the wide powerband and is very useful when overtaking or towing.

The 2.8 GD-6 engine also offers 450 Nm at 1600-2400 r/min on automatic transmission models For stronger acceleration, peak torque is available from 1600-2400 r/min. Power is at 130 kW @ 3400 r/min for both transmissions.



PETROL ENGINES

2.0 VVTi

1 2 3 4 5 6

ENGINE SPEED (X10³RPM)

and the

he **2.0 VVTi**




petrol engine, the torque has been pushed to 245 Nm @ 4000 r/min and power of 122 kW @ 5200 r/min

In the 2.7 VVTi 4-cylinder





The 4.0 V6 petrol engine produces power of 175 kW @ 5200 r/min and torque of 376 . Nm @ 3800 r/min.



DRIVE MODE SELECT*

has been added on the Hilux giving you two options:

ECO DRIVE MODE*

Simply activate the switch and a 'gentler' system will kick in. When in use, Eco Drive softens acceleration input and uses less power - and less fuel -on features such as the heating, cooling and ventilation systems.

Similarly, choose **POWER DRIVE MODE***

for a more aggressive, engaged drive. This option works by sharpening and heightening throttle response.



TRADEMARKED AS INTELLIGENT MANUAL TRANSMISSION (IMT)*

*Available on selected models only

Developed to accommodate the sophisticated torque system in the new engines, the newly designed six-speed* manual transmission achieves smooth gear changes and gives you a flexible, dynamic driving performance at any speed.

This advanced innovation pushes Toyota right to the front of the pack. In the Hilux, this means that your moves are anticipated and responded to intelligently: the engine speed is matched to the transmission speed, resulting in gear changes with no disruption. Changing up, the engine speed is matched to the next level – no jerks, no uneven acceleration noises. During downshifts the same happens, keeping the revs smooth and seamless.









KEEPING IT UNDER CONTROL

When towing, Trailer-Sway Control (TSC)* stabilises the connection between your Hilux and a trailer so that crosswinds, under-winds and variations in the road surface mean nothing to you. Steering operations are stronger: TSC suppresses extra movement before it gets beyond your brake or steer range, making sure the trailer is steady and stays completely within your control.

THE TOUGHEST 4X4 BY FAR

The Hilux is a superior 4x4* and off-road vehicle in all ways. Starting at the base, the 18"* all-terrain tyres have a new tread for superior grip and improved comfort, both on- and off-road. It follows that because suspension has been bettered, wheel articulation must improve too: when traversing rocky terrain, the up and down movement range of the left and right wheels balance out to create a more stable, comfortable drive. And no matter what you're driving over, the stronger, wider undercover protects your Hilux from damage.

The dashboard has also been modernised: the lever on the centre console has been replaced with an electronic transfer switch*. At any given moment, simply flip the switch and choose between 4WD, 4WD LOW and 2WD. YOU'RE LOADED UP: YOU'RE ON YOUR WAY DOWN A GRAVEL ROAD, MAYBE A SHEER DROP ON THE LEFT, MAYBE A MOUNTAIN CRAG TO YOUR RIGHT - BRAKING'S NOT YOUR FRIEND. IN THE HILUX YOU CAN SWITCH ON THE DOWNHILL-ASSIST CONTROL (DAC)* SYSTEM. DAC COUNTERACTS THE ENGINE BRAKE SYSTEM AND CONTROLS

BRAKE FLUID PRESSURE TO MAINTAIN LOW VEHICLE SPEED, ENSURING THAT YOUR TYRES DO NOT LOCK. AT THE SAME TIME, THE BODY OF THE HILUX REMAINS STABLE AND STEERING IS ENTIRELY CONTROLLABLE. IT'S NOT JUST THE DOWNS THAT HAVE BEEN TAMED. WHEN GOING UP, HILL-START ASSIST CONTROL (HAC)* PREVENTS THE VEHICLE FROM ROLLING BACK.





a contractor

The most striking features are the bullish, prominent front grille and the powerful LED* headlamps - a combination that sets the Hilux apart from the pack. The Raised Body Raider and Raider models take it even further with additional front LED fog lamps. 18" alloy wheels accentuate the design on selected models.

The bold, aggressive, design runs throughout the vehicle. From the side, you'll see sculpted wheel flares and integrated over-fender aero stabilising fins on the exterior mirrors.

TOUGH ENOUGH TO MAKE YOUR HEART SKIP A BEAT. THE FINISHES ON THE HILUX HAVE BEEN STREAMLINED TO DELIVER A MORE MASCULINE, ROBUST OUTLINE.

The exterior mirrors have integrated indicators*, retract automatically* and are electronically adjustable. The exterior mirrors, door handles and front grille of the Raised Body Raider and Raider models are finished in chrome. Black side steps allow for easy access on all SRX, Raised Body Raider and Raider models.

"The Hilux is completed with a reinforced frame to make it more durable. It's tougher, stronger, more rigid and has been designed specifically to take on the toughest of conditions. *Available on selected models only




THF LUXURY TOUGH

THE NEW DESIGN DELIVERS THE TOUGHNESS AND FUNCTIONALITY NEEDED IN A WORKING VEHICLE, AS WELL AS THE CONVENIENCE AND REFINEMENT EXPECTED IN A PRIVATE-USE VEHICLE.

INTERIORS SHOWN 2.8 GD-6 4x4 RAIDER 6AT







The Double Cab will carry you, your passengers and all your gear to any destination with ease. The Double Cab models combine toughness, comfort and luxury. Chrome* exterior finishes add even more style and all the standard safety features make your journey that much safer and more enjoyable.

 MODEL LINE-UP

 2.4 GD-6 4x4 SRX

 2.4 GD-6 4x4 SR

 2.4 GD-6 RB SRX

 2.4 GD-6 4X4 SRX AT

 2.4 GD-6 4X4 SRX AT

 2.7 VVTI RB SRX

 2.8 GD-6 RB Raider

 2.8 GD-6 RB Raider AT

 2.8 GD-6 4x4 Raider AT

 2.8 GD-6 4x4 Raider AT

 2.8 GD-6 4x4 Raider AT

 4.0 V6 4x4 Raider AT



DOUBLE CAB											DOUBLE CAB										
Engine and drivetrain	2.4 GD-6 4x4 SRX	2.4 GD-6 4x4 SR	2.4 GD-6 RB SRX	2.4 GD-6 4X4 SRX AT	2.7 VVTi RB SRX		2.8 GD-6 RB Raider AT				Exterior features	2.4 GD-6 4x4 SRX	2.4 GD-6 4x4 SR	2.4 GD-6 RB SRX	2.4 GD-6 4X4 SRX AT	2.7 VVTI RB SRX				2.8 GD-6 4x4 Raider AT	
1 st Gear ratio	4.784	4.784	4.784	3.600	4.313	4.784	3.600	4.784	3.600	3.600	Front fog lamps	Halogen	Halogen	Halogen	Halogen	Halogen	LED	LED	LED	LED	LED
2 nd Gear ratio	2.423	2.423	2.423	2.090	2.330	2.423	2.090	2.423	2.090	2.090	Headlights	Halogen	Halogen	Halogen	Halogen	Halogen	LED	LED	LED	LED	LED
3 rd Gear ratio	1.443	1.443	1.443	1.488	1.436	1.443	1.488	1.443	1.488	1.488	Headlamp Levelling	Manual	Manual	Manual	Manual	Manual	Automatic	Automatic	Automatic	Automatic	Automatic
4 th Gear ratio	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	High-mounted brake light	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED
5 th Gear ratio	0.777	0.777	0.777	0.687	0.838	0.826	0.687	0.826	0.687	0.687	Auto light control system with follow me home						·				·
6 th Gear ratio	0.643	0.643	0.643	0.580		0.643	0.580	0.643	0.580	0.580	Electrically adjustable exterior mirrors	Black with indicator and power	Black, power	Black with indicator and power	Black with indicator and power	Black with indicator and power	Chrome with indicator and retractable				
Auto disconnecting front differential	•	·						•	•												
Bore x stroke (mm)	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	95.0x95.0	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	94.0 x 95.0	Front grille	Colour	Colour	Colour	Colour	Colour	Chrome	Chrome	Chrome	Chrome	Chrome
Compression ratio	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	10.2 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	10.0 : 1	Rear step bumper	•	•	•	•	•	•	· · · · ·			·
Differential lock	•	•	····	· · · · · · · · · · · · · · · · · · ·	· · · · ·						Interior, comfort and convenience										
Displacement (cm³)	2393	2393	2393	2393	2694	2755	2755	2755	2755	3956	4WD indicator	·			·						·
Driven wheels	4WD/Part-Time	4WD/Part-Time	RWD	4WD/Part-Time	RWD	RWD	RWD	4WD/Part-Time	4WD/Part-Time	4WD/Part-Time	4WD selector switch	·	·		•						·
Emission control	Euro 2-without OBD	Euro 2-without OBD	Euro 2-without OBD	Euro 2-without OBD	Euro 2-without OBD	Euro 2-without OBD	Euro 2-without OBD	Euro 2-without OBD	Euro 2-without OBD	Euro 2-without OBD	Centre console box	·	·	·	•	•	·	·	· · · · ·		·
Fuel system	Diesel	Diesel	Diesel	Diesel	Petrol	Diesel	Diesel	Diesel	Diesel	Petrol	Cup holders	·		·	•	•	·	·	····		•
Maximum power (kW @ r/min)	110 @ 3400	110 @ 3400	110 @ 3400	110 @ 3400	122 @ 5200	130 @ 3400	130 @ 3400	130 @ 3400	130 @ 3400	175 @ 5200	Front and rear door pockets	•	•	·	•	•	•	·		•	•
Maximum torque (Nm @ r/min)	400 @ 1600-2000	400 @ 1600-2000	400 @ 1600-2000	400 @ 1600-2000	245 @ 4000	420 @ 1400-2600	450 @ 1600-2400	420 @ 1400-2600	450 @ 1600-2400	376 @ 3800	Lockable glove box	·	•	•	•	•	with cool box				
Number of cylinders and arrangement	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4	V-Type-6	Key reminder warning	Buzzer	Buzzer	Buzzer	Buzzer	Buzzer	Buzzer	Buzzer	Buzzer	Buzzer	Buzzer
Stabiliser	Front only	Front only	Front only	Front only	Front only	Front only	Front only	Front only	Front only	Front only	2 nd row seats	United folding	United folding	United folding	United folding	United folding	60:40	60:40	60:40	60:40	60:40
Transmission	Manual-6-speed	Manual-6-speed	Manual-6-speed	Automatic-6-speed	Manual-5-speed	Manual-6-speed	Automatic-6-speed	Manual-6-speed	Automatic-6-speed	Automatic-6-speed	Steering wheel	4 Spoke/Urethane	4 Spoke/Urethane	4 Spoke/Urethane	4 Spoke/Urethane	4 Spoke/Urethane	4 Spoke/Leather				
Suspension (Front)	Double wishbone	Double wishbone	Double wishbone	Double wishbone	Double wishbone	Double wishbone	Double wishbone	Double wishbone	Double wishbone	Double wishbone	Seat back pockets	•			•	•	•	·	····		
Suspension (Rear)				Leaf spring-rigid axle							Cruise control						•	•	···	•	•
Wheels and tyres			Lourophing ngid date					Loui opility ngia anto	Loui oping ngia ano	Loui opility ngia anio	Air conditioner	·		•	•	•	Auto	Auto	Auto	Auto	Auto
Spare tyre	Full-steel	Full-steel	Full-steel	Full-steel	Full-steel	Full-alloy	Full-allov	Full-alloy	Full-alloy	Full-alloy	Audio system	•			•	•	DAB, RDS and display				
																	audio	audio	audio	audio	audio
Wheels and tyres	265/765R17 Alloy	225/70R17C Steel	265/65R17 Alloy	265/765R17 Alloy	265/65R17 Alloy	265-60R18 Alloy	265-60R18 Alloy	265-60R18 Alloy	265-60R18 Alloy	265-60R18 Alloy	Reverse camera						•	·	· · · · ·	· · · · · · · · · · · · · · · · · · ·	
Exterior features											Bluetooth	•		•	•	•	•	•	•	•	·
Mud guards	Front and rear	Front and rear	Front and rear	Front and rear	Front and rear	Front and rear	Front and rear	Front and rear	Front and rear	Front and rear	Disc type	CD		CD	CD	CD	DVD	DVD	DVD	DVD	DVD
Side step	•		•	•	•	•	•	•	•	•	Light remind warning	•	•	•	•	•	•	•	•	•	•
Daytime Running Lights (DRL)						•	•	•	•	•	Multi-Information Display (MID)	•			•	•	TFT	TFT	TFT	TFT	TFT
Exterior door handles	Black	Black	Black	Black	Black	Chrome	Chrome	Chrome	Chrome	Chrome	Navigation system: SD card and touch screen										· · · · · ·

DOUBLE CAB											DOUBLE CAB										
Interior, comfort and convenience	2.4 GD-6 4x4 SRX	2.4 GD-6 4x4 SR	2.4 GD-6 RB SRX	2.4 GD-6 4X4 SRX AT	2.7 VVTI RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8 GD-6 4x4 Raider	2.8 GD-6 4x4 Raider AT	4.0 V6 4x4 Raider AT	Dimensions and capacities	2.4 GD-6 4x4 SRX	2.4 GD-6 4x4 SR	2.4 GD-6 RB SRX	2.4 GD-6 4X4 SRX AT	2.7 VVTi RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8 GD-6 4x4 Raider	2.8 GD-6 4x4 Raider AT	4.0 V6 4x4 Raider AT
Power socket	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V X2	Front - 12V X2	Front - 12V X2	Front - 12V X2	Front - 12V X2	Front overhang (mm)	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000
						Front - 220V	Front - 220V	Front - 220V	Front - 220V	Front - 220V	Front tread (mm)	1535	1495	1535	1535	1535	1535	1535	1535	1535	1535
Electric windows with one touch driver's side	•	•	•	·	•	•	•	•			Fuel tank size (1)	80	80	80	80	80	80	80	80	80	80
Rear armrest with 2 cup holders						•	•	•	•	•	Gross Combination Mass (GCM)	5850	5850	5530	5850	5210	5560	5560	5850	5850	5750
Speakers	4	4	4	4	4	б	б	Б С	Б I	Б	Ground clearance (mm)	286	286	286	286	286	286	286	286	286	286
Steering wheel switches: info display, telephone and audio	•	•	•	·	•	•	•	•			Gross Vehicle Mass (GVM)	2910	2910	2810	2910	2710	2810	2810	2910	2910	2870
USB port	•		•	•	·	•	•	•	•	•	Height (mm)	1815	1815	1815	1815	1815	1815	1815	1815	1815	1815
Safety and security											Interior height (mm)	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170
Alarm, immobiliser and ultrasonic sensor	•	•	•	·	•	•	•	•			Length (mm)	5330	5330	5330	5330	5330	5330	5330	5330	5330	5330
Auto door lock	•	•	•	·	•	•	•	•			Rear overhang (mm)	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250
Child lock	•	•	•	·	•	•	•	•	•		Rear tread (mm)	1550	1510	1550	1550	1550	1550	1550	1550	1550	1550
Child restraint system (ISOFIX)	•	•	•	·	•	•	•	•		•	Towing capacity - Unbraked (kg)	750	750	750	750	750	750	750	750	750	750
Driver, front passenger and driver knee airbags	•	•	•	·	•	•	•	•			Towing capacity - Braked (kg)	3200	3200	2750	3200	2500	2750	2750	3500	3500	3000
Emergency brake signal	•		•	·	•	•	•	•		•	Turning circle (tyres, m)	6.4	6.3	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4
Curtain and front side airbags						•	•	•	•	•	Wheelbase (mm)	3085	3085	3085	3085	3085	3085	3085	3085	3085	3085
Power door lock	•		•	·	•	•	•	•		•	Width (mm)	1855	1800	1855	1855	1855	1855	1855	1855	1855	1855
Seat belt warning: buzzer and light	•	•	•	·		•	•	•	•		Fuel consumption (combined cycle) (I/100km)	7,3	7,3	7,1	8.2	10.7	7,6	8,0	7,6	8,5	11.8
Wireless door lock	Remote	Remote	Remote	Remote	Remote	Remote	Remote	Remote	Remote	Remote	CO ₂ emissions (g/km)	191	191	187	217	253	199	210	200	224	280
Anti-lock Braking System (ABS)	•		•	·		·	•	•	•	•	Service plan										
Brake-Assist (BA)	•		•	·		·	•	•	•	•	Service intervals (km)	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000
Electronic Brake-force Distribution (EBD)	•		•	·	•	·	•	•	•	•	Service plan	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km			
Hill-Assist Control (HAC)	•	•	•	•		·	•	•	•	•											
Traction-Control (TRC)	Active Traction Control (ATRC)	Active Traction Control (ATRC)	•	Active Traction Control (ATRC)	•	•	·	Active Iraction Control (ATRC)	Active Traction Control (ATRC)	Active Traction Control (ATRC)											
Vehicle-Stability Control (VSC)																					
Trailer-Sway Control (TSC)																					
Drive Mode Select: Eco and Sport						with iMT		with iMT													
Downhill-Assist Control (DAC)																					















040 GLACIER WHITE

1D6 CHROMIUM SILVER

1G3 GRAPHITE GREY METALLIC

218 ATTITUDE BLACK

3T6 ARIZONA RED

4V8 AVANT GARDE BRONZE METALLIC

8X2 COSMIC BLUE



NO MATTER HOW MUCH WORK YOU DO, THE SINGLE CAB **RANGE IS THE TOUGHEST, MOST COST-EFFECTIVE BAKKIE ON THE** MARKET. REDUCED FUEL CONSUMPTION, INCREASED-TOWING CAPACITY AND AN INCREASED LOAD SPACE MEANS THE HILUX IS A WORTHY INVESTMENT.

MODEL SHOWN 2.0 VVTI5MT

Tough doesn't mean unsophisticated: with advanced features such as Brake-Assist (BA), Anti-lock Braking System (ABS), Electronic Brake-force Distribution (EBD), driver and front passenger* airbags and an alarm with an immobiliser and ultrasonic sensor are all part of the package.

MODEL LINE-UP 2.0 VVTi 5MT 2.4 GD 5MT 2.4 GD 5MT A/C 2.4 GD-6 RB SRX 2.4 GD-6 4x4 SR 2.7 VVTi RB SRX

These tough vehicles are renowned for their Quality, Durability and Reliability (QDR).

*Available on selected models

2.0 VVTi 5MT A/C 2.4 GD-6 4x4 SRX 2.4 GD-6 4X4 SRX AT 2.8 GD-6 RB Raider 2.8 GD-6 RB Raider AT 2.8GD-6 4x4 Raider 2.8 GD-6 4X4 Raider AT



SINGLE CAB														SINGLE CAB													
Engine and drivetrain	2.0 VVTi 5MT	2.0 VVTI 5MT A/C	2.4 GD 5MT	2.4 GD 5MT A/C	2.4 GD-6 RB SRX	2.4 GD-6 4x4 SRX	2.4 GD-6 4X4 SRX AT	2.4 GD-6 4x4 SR	2.7 VVTI RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8GD-6 4x4 Raider	2.8 GD-6 4X4 Raider AT	Exterior features	2.0 VVTi 5MT	2.0 VVTi 5MT A/C	2.4 GD 5MT	2.4 GD 5MT A/C	2.4 GD-6 RB SRX	2.4 GD-6 4x4 SRX	2.4 GD-6 4X4 SRX AT	2.4 GD-6 4x4 SR	2.7 VVTI RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8GD-6 4x4 Raider	2.8 GD-6 4X4 Raider AT
1 st Gear ratio	4.313	4.313	4.313	4.313	4.784	4.784	3.600	4.784	4.313	4.784	3.600	4.784	3.600	Daytime Running Lights (DRL)										•			•
2 nd Gear ratio	2.330	2.330	2.330	2.330	2.423	2.423	2.090	2.423	2.330	2.423	2.090	2.423	2.090	Door outside handles	Black	Black	Black	Black	Black	Black	Black	Black	Black	Chrome	Chrome	Chrome	Chrome
3ª Gear ratio	1.436	1.436	1.436	1.436	1.443	1.443	1.488	1.443	1.436	1.443	1.488	1.443	1.488	Front fog lamps					Halogen	Halogen	Halogen	Halogen	Halogen	LED	LED	LED	LED
4 th Gear ratio	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	High-mounted brake light	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED
5 th Gear ratio	0.838	0.838	0.838	0.838	0.777	0.777	0.687	0.777	0.838	0.826	0.687	0.826	0.687	Auto light control system with follow me home													
6 th Gear ratio					0.643	0.643	0.580	0.643		0.643	0.580	0.643	0.580	Electrically adjustable exterior mirrors	Black, power	Black, power	Black, power	Black, power	Black with indicator	Black with indicator	Black with indicator	Black, power	Black with indicator	Chrome with	Chrome with	Chrome with	Chrome with
Auto disconnecting front differential								•					•						and power	and power	and power		and power	indicator and retractable	indicator and retractable	indicator and retractable	indicator and retractable
Bore x stroke (mm)	86.0 x 86.0	86.0 x 86.0	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	95.0 x 95.0	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	Front grille	Black	Black	Black	Black	Colour	Colour	Colour	Colour	Colour	Chrome	Chrome	Chrome	Chrome
Compression ratio	10.4 : 1	10.4 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	10.2 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	Rear step bumper													
Differential lock					•	•		•					•	Front and rear mud guards													
Displacement (cm³)	1998	1998	2393	2393	2393	2393	2393	2393	2694	2755	2755	2755	2755	Side step													
Emission control		Euro 2-without OBD				Euro 2-without OBD		Euro 2-without OBD			Euro 2-without OBD		Euro 2-without OBD	Interior, comfort and convenience													
Fuel system	Petrol	Petrol	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Petrol	Diesel	Diesel	Diesel	Diesel	4WD indicator													· ·
Maximum power (kW @ r/min)	102 @ 5600	102 @ 5600	110 @ 3400	110 @ 3400	110 @ 3400	110 @ 3400	110@3400	110 @ 3400	122 @ 5200	130 @ 3400	130 @ 3400	130 @ 3400	130 @ 3400	4WD selector switch													
Maximum torque (Nm @ r/min)	183 @ 4000	183 @ 4000 Inline-4				400 @ 1600-2000	400@1600-2000 Inline-4	400 @ 1600-2000		420 @ 1400-2600		420 @ 1400-2600 Inline-4	450 @ 1400-2600	Centre console box													
Number of cylinders and arrangement Transmission	Inline-4		Inline-4	Inline-4	Inline-4	Inline-4		Inline-4	Inline-4 Manual-5-speed	Inline-4	Inline-4		Inline-4	Cupholders											.		
Suspension (Front)			Manual-b-speed						Double wishbone					Door pockets													
				Leaf spring-rigid					Leaf spring-rigid					Lockable glove box										with cool box	with cool box	with cool box	with cool box
Suspension (Rear)	axle	axle	axle	axle	axle	axle	axle	axle	axle	axie	axle		axie	Key reminder warning													
Wheels and tyres														Air conditioner													
Spare tyre	Full-steel	Full-steel	Full-steel	Full-steel	Full-steel	Full-steel	Full-steel	Full-steel	Full-steel	Full-alloy	Full-alloy 265/60P18 Alloy		Full-alloy	Audio system					•					Display audio, DAB			
Wheels and tyres	200/70810 81881	205/70R15 Steel	200//0810 21661	205/70R15 Steel	200/00K1/ Aliuy	265/65R17 Alloy	200/00K1/ Aliuy	220/1081/ 51661	265/65R17 Alloy	265/60R18 Alloy	200/DUKI8 AliUy		200/OUKI8 Aliuy											and RDS	and RDS	and RDS	and RDS

SINGLE CAB														SINGLE CAB													
Interior, comfort and convenience	2.0 VVTi 5MT	2.0 VVTi 5MT A/C	2.4 GD 5MT	2.4 GD 5MT A/C	2.4 GD-6 RB SRX	2.4 GD-6 4x4 SRX	2.4 GD-6 4X4 SRX AT	2.4 GD-6 4x4 SR	R 2.7 VVTI RB SRX	2.8 GD-6 RB Raider	r 2.8 GD-6 RB Raider AT	2.8GD-6 4x4 Raider	2.8 GD-6 4X4 Raider AT	Dimensions and capacities	2.0 VVTi 5MT	2.0 VVTI 5MT A/C	2.4 GD 5MT	2.4 GD 5MT A/C	2.4 GD-6 RB SRX	2.4 GD-6 4x4 SRX	2.4 GD-6 4X4 SRX AT	2.4 GD-6 4x4 SR	2.7 VVTi RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8GD-6 4x4 Raider	2.8 GD-6 4X4 Raider AT
Bluetooth					···	·	· · ·		···	·	· · ·	•	•	Front overhang (mm)	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000
Disc type					CD	CD	CD		CD	DVD	DVD	DVD	DVD	Front tread (mm)	1510	1510	1510	1510	1535	1535	1535	1495	1535	1535	1535	1535	1535
Multi-Information Display (MID)						•			•	TFT	TFT	TFT	TFT	Gross Combination Mass (GCM)	4200	4200	5280	5280	5500	5850	5850	5850	5150	5500	5500	5850	5850
Power socket	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V X2	Front - 12V X2	Front - 12V X2	Front - 12V X2	Ground clearance (mm)	187	187	194	194	269	269	269	269	269	269	269	269	269
Electric windows with one touch driver's side	·	·	···	·	·			···	·	·	·			Gross Vehicle Mass (GVM)	2700	2700	2810	2810	2870	2870	2870	2870	2650	2750	2750	2870	2870
Speakers	2	2	2	2	2	2	2	2	2	4	4	4	4	Height (mm)	1690	1690	1690	1690	1795	1795	1795	1795	1795	1795	1795	1795	1795
Steering wheel switches: info display, telephone and audio								· · ·			· · ·			Length (mm)	5270	5270	5270	5270	5330	5330	5330	5330	5330	5330	5330	5330	5330
USB														Rear overhang (mm)	1180	1180	1180	1180	1250	1250	1250	1250	1250	1250	1250	1250	1250
Safety and security														Rear tread (mm)	1510	1510	1510	1510	1550	1550	1550	1510	1550	1550	1550	1550	1550
Alarm, immobiliser and ultrasonic sensor	· · ·	· · ·	· · ·		· · ·	·	· · ·	· · ·	·	· · ·	· · ·	·		Towing capacity - Unbraked (kg)	750	750	750	750	750	750	750	750	750	750	750	750	750
Driver and front passenger airbags	Driver only	Driver only	Driver only	Driver only										Towing capacity - Braked (kg)	1500	1500	2500	2500	2750	3200	3200	3200	2500	2750	2750	3500	3500
Curtain airbags														Turning circle (tyres, m)	5.9	5.9	5.9	5.9	6.4	6.4	6.4	6.3	6.4	6.4	6.4	6.4	6.4
Emergency brake signal														Wheelbase (mm)	3085	3085	3085	3085	3085	3085	3085	3085	3085	3085	3085	3085	3085
Anti-lock Braking System (ABS)														Width (mm)	1800	1800	1800	1800	1855	1855	1855	1800	1855	1855	1855	1855	1855
Brake-Assist (BA)														Service Plan													
Electronic Brake-force Distribution (EBD)														Service intervals (km)	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000
Hill-Assist Control (HAC)														Service plan	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	<mark>5 years / 90000 km</mark>	5 years / 90000 km
Traction-Control (TRC)					·		Active Traction Control (ATRC)			·			Active Traction Control (ATRC)														
Vehicle-Stability Control (VSC)						•		•																			
Trailer-Sway Control (TSC)					·																						
Drive Mode Select: Sport and Eco					· · ·		<u> </u>	<u> </u>	•	with iMT	•	with iMT	•	040 GLACIER WHITE		1D6 CHROMIUM SILVER		1G3 GR	APHITE GREY METALLIC		3T6 ARIZO	ZONA RED	41	V8 AVANT GARDE BRONZE METAL	fallic		8X2 COSMIC BLUE













YOU ASKED ED MODEL SHOWN 2.8 GD-6 RB RAIDER 6MT

IT'S A COST-EFFECTIVE SOLUTION: THE XTRA CAB NOT ONLY OFFERS YOU MORE STORAGE SPACE, YOU'RE ALSO GETTING A VEHICLE THAT COMBINES FUNCTION AND STYLE.

The Xtra Cab has been designed to improve cabin accessibility and convenience. The models have been fitted with rearaccess doors. But just because it looks smart, doesn't mean it won't play rough. All the advanced features you expect from a Hilux, plus the safety and reliability of choosing Toyota, are to be expected. The Xtra Cab models all come with safety features in the form of **Brake-Assist (BA)**, **Anti-lock Braking System (ABS), Electronic Brakeforce Distribution (EBD), Vehicle-Stability Control (VSC), Trailer-Sway Control (TSC) and Hill-Start Assist Control (HAC).**

 MODEL LINE-UP

 2.4 GD-6 RB SRX

 2.8 GD-6 RB Raider

 2.8 GD-6 RB Raider AT

 2.8 GD-6 4x4 Raider

 2.8 GD-6 4x4 RaiderAT



XTRA CAB					
Engine and drivetrain	2.4 GD-6 RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8 GD-6 4x4 Raider	2.8 GD-6 4x4RaiderAT
1 st Gear ratio	4.784	4.784	3.600	4.784	3.600
2 nd Gear ratio	2.423	2.423	2.090	2.423	2.090
3 rd Gear ratio	1.443	1.443	1.488	1.443	1.488
4 th Gear ratio	1.000	1.000	1.000	1.000	1.000
5 ^m Gear ratio	0.777	0.826	0.687	0.826	0.687
6 th Gear ratio	0.643	0.643	0.580	0.643	0.580
Auto disconnecting front differential					•
Bore x stroke (mm)	92.0 x 90.0	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6
Compression ratio	15.6 : 1	15.6 : 1	15.6 : 1	156:1	156:1
Differential lock					•
Displacement (cm³)	2393	2755	2755	2755	2755
Emission control	Euro 2-without OBD				
Fuel system	Diesel	Diesel	Diesel	Diesel	Diesel
Maximum power (KW @ r/min)	110 @ 3400	130 @ 3400	130 @ 3400	130 @ 3400	130 @ 3400
Maximum torque (Nm @ r/min)	400 @ 1600-2000	420 @ 1400-2600	450 @ 1400-2600	420 @ 1400-2600	450 @ 1400-2600
Number of cylinders and arrangement	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4
Suspension (Front)	Double wishbone				
Suspension (Rear)	Leaf spring-rigid axle				
Transmission	Manual-6-speed	Manual-6-speed	Automatic-6-speed	Manual-6-speed	Automatic-6-speed
Wheels and tyres					
Spare tyre	Full-steel	Full-alloy	Full-alloy	Full-alloy	Full-alloy
Wheels and tyres	265/65R17 Alloy	265/60R18 Alloy	265/60R18 Alloy	265/60R18 Alloy	265/60R18 Alloy

XTRA CAB						XTRA CAB					
Interior, comfort and convenience	2.4 GD-6 RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8 GD-6 4x4 Raider	2.8 GD-6 4x4RaiderAT	Dimensions and capacity	2.4 GD-6 RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8 GD-6 4x4 Raider	2.8 GD-6 4x4RaiderAT
Audio system	•	Display audio, DAB and RDS	Display audio, DAB and RDS	Display audio, DAB and RDS	Display audio, DAB and RDS	Front overhang (mm)	1000	1000	1000	1000	1000
Reverse camera			•			Front tread (mm)	1535	1535	1535	1535	1535
Bluetooth			•			Gross Combination Mass (GCM)	5500	5500	5500	5850	5850
Disc type	CD	DVD	DVD	DVD	DVD	Ground clearance (mm)	284	284	284	284	284
Light reminder warning	Buzzer	Buzzer	Buzzer	Buzzer	Buzzer	Gross Vehicle Mass (GVM)	2750	2750	2750	2860	2860
Multi-Information display		TFT	TFT	TFT	TFT	Height (mm)	1810	1810	1810	1810	1810
Power socket	Front - 12V	Front - 12V X2	Front - 12V X2	Front - 12V X2	Front - 12V X2	Length (mm)	5330	5330	5330	5330	5330
Front electric windows with one touch driver's side						Rear overhang (mm)	1250	1250	1250	1250	1250
Speakers	2	6	6	6	6	Rear tread (mm)	1550	1550	1550	1550	1550
Steering wheel switches: info display, telephone and audio						Towing capacity - Unbraked (kg)	750	750	750	750	750
JSB						Towing capacity - Braked (kg)	2750	2750	2750	3500	3500
Safety and security						Turning circle (tyres, m)	6.4	6.4	6.4	6.4	6.4
Alarm, immobiliser and ultrasonic sensor						Wheelbase (mm)	3085	3085	3085	3085	3085
Emergency Brake Signal						Width (mm)	1855	1855	1855	1855	1855
Driver, front passenger and curtain shield airbags	Driver, front passenger only					Service plan					
Seat belt warning: buzzer and light	•					Service intervals (km)	10 000	10 000	10 000	10 000	10 000
Anti-lock Braking System (ABS)						Service plan	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km
Brake-Assist (BA)				·	•						
Electronic Brake-force Distribution (EBD)				•							
iraction Control (TRC)	·	•	·	Active Traction Control (ATRC)	Active Traction Control (ATRC)						
iill-Assist Control (HAC)	·	•	·	•	•						
Vehicle-Stability Control (VSC)	•	•	•		•						
Trailer-Sway Control (TSC)	·	•	•	•	•						
Drive Mode Select: Eco and Sport	•	with iMT	•	with iMT	•						















040 GLACIER WHITE

1D6 CHROMIUM SILVER

1G3 GRAPHITE GREY METALLIC

3T6 ARIZONA RED

4V8 AVANT GARDE BRONZE METALLIC

8X2 COSMIC BLUE



Not only has the Hilux been kitted out with seven airbags* (distributed along driver, front passenger*, curtain shield*, driver knee* and front side* airbags), but extra-strength steel and high-strength structures have been reinforced to reduce the possibility of passenger injuries.

Impact-absorbing structures have also been incorporated in the engine hood and front fender to reduce injury to the head and legs of pedestrians during a collision.

Safety features include: DCK BRAKING SYSTEM (

ABS regulates the hydraulic pressure of the brakes, and a load-sensing proportioning and bypass valve optimise the effectiveness of the rear brakes.

SOFIX CHILD RESTRAINT SYSTEM** The ISOFIX child restraint system assists and secures your children in the rear seat.

ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD) EBD ensures that you're always in control, even in potentially dangerous situations.

VEHICLE-STABILITY CONTROL (VSC)* VSC keeps power and drive balanced and responsive to the situation.

SSIST (BA)

BA strengthens the power on the brakes, in the case of a panic stop.

YOU JUST BREAK **—TOUGH**

Advanced security technology has been incorporated on all models. As soon as you start moving, the auto door lock is activated. All models are also fitted with remote central locking. Once locked, the anti-theft system is activated. It features an independently powered alarm, immobiliser, and ultrasonic glass breaking and movement sensor, ensuring that your Hilux remains just that - yours.



TOUGH ON THE ROAD, NOT ON THE ENVIRONMENT.

Hilux drivers share a passion for adventure and the beauty of the great outdoors. That's why we're dedicated to preserving the environment for future generations. The fuel-efficient engines of the Hilux range help reduce CO₂ emissions and the carbon footprint of the vehicles. Plastics that are highly-recyclable are used in the instrument panel, door trims and the majority of the interior and exterior components. The plastic components have also been uniquely designed so that they are easier to dismantle for recycling.

Toyota is serious about combating the problems associated with waste tyres in the country and has therefore taken up its producer responsibility as defined by the Waste Management Act of 2008.

Waste Tyre Registration Number: TPREG0031GAU



DARABA DOUGLI

2012 3RD PLACE I 2013 2ND PLACE I 2014 4TH PLACE 2015 2ND PLACE I 2016 3RD PLACE

#TEAMHILUX

MODEL SHOWN 2016 HILUX DAKAR

WHEN --- MORE MEANS MORE

For a full range of Genuine Toyota Accessories visit www.toyota.co.za



FUSING THE BEST OF STYLE AND PRACTICALITY. THE HILLIX COMES WITH A WIDE RANGE OF GENUINE TOYOTA ACCESSORIES TO CHOOSE FROM. GENUINE TOYOTA ACCESSORIES ARE ENGINEERED AND TESTED WITH THE ABSOLUTE ASSURANCE OF SUPERIOR OUALITY, DURABILITY AND RELIABILITY.





TYI ING BAR AND TONNEALL COVER



TOW BAR AND REAR STEP

THE MODEL SHOWN IS ACCESSORISED WITH A STYLING BAR, ROOF ORNAMENT, SIDE VISORS, DOOR HANDLE GARNISH, SIDE STEPS. OVER FENDERS. ALLOY WHEELS. FOG LAMP CHROME GARNISH. NUDGE BAR. BONNET GUARD AND HEADLAMP GUARDS



TAILGATE GARNISH

REAR LAMP GARNISH





BAKKIE RAILS









FOG LAMP AND CHROME COVER



RUBBER DECK MAT





REAR STEP TOW BAR



STYLING BAR AND TONNEAU COVER





THE MODEL SHOWN IS ACCESSORISED WITH BAKKIE RAILS, SIDE VISORS, SIDE STEPS, NUDGE BAR, BONNET GUARD AND HEADLAMP GUARDS

THE MODEL SHOWN IS ACCESSORISED WITH A STYLING BAR, ROOF ORNAMENT, SIDE VISORS, BODY SIDE MOULDING, SIDE STEPS, OVER FENDERS, ALLOY WHEELS, FOG LAMP CHROME GARNISH, NUDGE BAR, BONNET GUARD AND HEADLAMP GUARDS



TOYOTA FINANCIAL SERVICES

There is no 'one-size-fits-all' when it comes to vehicle finance and insurance, there is only you. With fast, flexible and convenient services we will structure the perfect Hilux deal for you.

At Toyota Financial Services, we believe that purchasing your Toyota should be as enjoyable as driving it. Toyota Financial Services is the fast, flexible and convenient means of financing your Hilux. We have created a range of financial products that suit both private and business customers, easily accessible through your local Toyota dealer. We take the hassle out of arranging finance.

Toyota Financial Services (South Africa) Ltd is an authorised Financial Services (FSP No. 7454) and Registered Credit Provider (NCRCP62). For comprehensive information about products offered by Toyota Financial Services, visit **www.toyota.co.za/toyota-finance**



GENUINE

Toyota vehicles are known for their Quality, Durability and Reliability. Keeping your Toyota Genuine means no compromises in terms of safety, performance and resale value. The range of Genuine Products and Approved Service will ensure complete peace of mind throughout the ownership journey and beyond. For more information on how to keep your Toyota genuine visit www.toyota.co.za/genuine

TOYOTA GENUINE PRODUCTS

For guaranteed fit and function, Genuine Parts are essential in maintaining the safety and reliability of your vehicle. **Genuine Parts** comply with all safety, regulatory and environmental requirements, making it the obvious choice. The same exacting precision applies to **Toyota Accessories**, developed by engineers with extensive knowledge on vehicle integration - you can enhance the appeal and functionality of your Hilux without compromising its safety features or warranty. Warranties are about peace of mind, and the **Genuine Unlimited Warranty** is designed to provide superior cover (6 years/unlimited and 8 years/unlimited) and a seamless claims process thanks to full integration with Toyota systems. The **Genuine Extended Service Plan** also enjoys exclusive approval by Toyota SA and provides flexible extension options up to 7 years or 200 000 km to suit your period of ownership. Paying today's rates for tomorrow's maintenance is a sensible way to protect the resale value of your Hilux by means of a full service history.

TOYOTA APPROVED SERVICES

Specialised vehicle maintenance requires first-class facilities, advanced equipment and expert knowledge. **Toyota Quality Service** not only promises accurate diagnosis and repair, but also a philosophy of building trust through a genuine concern for the needs of our customers. To complement the extensive network of Toyota dealers, we have a vast number of **Accredited Body and Paint Repairers**, selected on stringent criteria to ensure outstanding workmanship and customer service. You can maintain your vehicle's pristine condition without compromising its warranty thanks to the exclusive use of Genuine Parts by our Accredited Repairers. Offering 24-hour access to a full complement of assistance and recovery benefits, **Toyota Roadside Assistance** provides the peace of mind that competent support is only a phone call away.

TOYOTA GENUINE MEANS UNCOMPROMISED SAFETY GUARANTEED QUALITY PEACE OF MIND



Download the ^{My}TOYOTA</sup> App from the Google Play Store or the Apple iStore to receive the latest Toyota news, keep an eye on your vehicle's finance and book your vehicle for a service. You can also book a test drive or arrange roadside assistance, all on your phone.

DISCLAIMER:

The information contained in this brochure is provided as is and without any warranties of any kind, whether expressed or implied, including but not limited to, implied warranties of satisfactory quality, fitness for a particular purpose and/or correctness. The contents of this brochure are for general information purposes only and do not constitute advice. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Limited does not represent or warrant that the information and/or specifications contained in this brochure are accurate, complete or current and specifically stipulates that certain vehicle details and specifications contained in this brochure may differ in available models. Therefore, neither Toyota Motor Corporation of Japan nor Toyota South Africa Motors (Pty) Limited make any warranties or representations regarding the use of the content, details, specifications, or information contained in this brochure in terms of their correctness, accuracy, adequacy, usefulness, reliability or otherwise, in each case to the fullest extent permitted by law. Please note that claiming of input VAT needs to be verified by customers prior to vehicle purchase as these rulings are subject to SARS interpretation. Toyota South Africa Motors' rights remain reserved.

