# ARMORED CADILLAC ESCALADE

NEW GENERATION BODY STYLE





AGAINST 7.62 x 39mm, 5.56 x 45mm, 7.62 x 51mm





ALPINE ARMORING INC.

2

no one protects you better.

# VEHICLE SPECIFICATIONS

### **GENERAL SPECIFICATIONS**

MAKE:	Cadillac
MODEL:	Escalade
TRIM:	Premium Luxury
YEAR:	NEW
ENGINE:	6.2L V8 Gasoline
POWER:	420 hp - 460 lbft
TRANSMISSION:	10-Speed Automatic
COLOR:	Black Raven
INTERIOR:	Black Leather
SEATING:	2 + 2 + 3
FINAL WEIGHT:	8,480 lbs (3,46kg.) Armored









## OPAQUE ARMOR DETAILS



### Firewall

Floor

Ballistic steel or composite material firewall provides protection from explosion and different angle of attacks. Roof

Doors

3-1

Roof is lined with ballistic steel or composite to protect against penetration at an angle and vehicle stability.


3-2

3-8



3

better



All doors and windows feature

ballistic steel overlaps to keep

shrapnel from angle shots from

entering the cabin.

Front and rear wheel wells are lined with ballistic steel..



anni

This image is properly of Alpine Armoring

\* Tel:+1.703.471.0002 \* Fax:+1.703.471.0202 \* www.alpineco.com \* sales@alpineco.com \*

3-7



ALPINE ARMORING INC.

4

protects you better

# TRANSPARENT ARMOR DETAILS



### **Glass Armor**

Minimum 40 mm thick glass/polycarbonate composite A9/NIJ III transparent armor installed on the vehicle.

4-1

4-3

# This image is property of Alpine Armoring

ALPINE ARMORING

This image is property of Alpine Armoring

# Anti-Spall Layer

Inner-most anti-spall layer prevents glass & bullet fragments from penetrating into passenger cabin area & is free of any optical distortion and discoloration. 4-2

### **Multi-Hit Protection**

All windows are capable of sustaining multiple hits while providing protection to passengers.

this image is property of Alpine Primoring

anne

The front 2 windows are equipped with special custom-designed heavy duty actuator mechanism to allow for faster & quitter operation with maximum traveling distance. 4-4 Multi-layer Construction



40 mm



## ADDITIONAL FEATURES





his image is property of Alpine Armorin

This image is property of Alpine .

### **Ballistic Door Overlap**

Each door is equipped with ballistic steel overlap with added custom bullet-catchers wrapped in high quality leather or vinyl. 5-1

### Power Windows

The front driver and passenger window are powered and lower approximately 4-6 inches.

5-2

### **Rear Door Partition**

The rear door partition is equipped with thick ballistic window.

5-3

5-4

### **Tailpipe Protection**

0.0.01

The tailpipe features a special mesh that prevents the tailpipe from being sabotaged.

# Upgraded Braking

The vehicle's braking system (rotors & pads) are upgraded to accommodate the added armor weight.

5-5

5-7

5-8



**Upgrade Suspension** 

The vehicle's suspension (HD Coils) are upgraded to accommodate the added armor weight, along with chassis reinforcement as deemed necessary . 5-6



**Run-Flat Inserts** 

tire.

\* Tel:+1.703.471.0002 \* Fax:+1.703.471.0202 \* www.alpineco.com \* sales@alpineco.com \*

Vehicle is equipped with

full-size run-flat inserts in each

Fuel tank is protected by a ballistic steel box. Protects from two simultaneous grenades.



his imagens property of Alpine Armoring

anne

# This in and is oronger to g Athine Performance

ALPINE ARMORING INC

5

better



ALPINE ARMORING INC

6

better

# ADDITIONAL FEATURES



### **Battery Protection**

The battery is encased in a ballistic steel box to protect it.

P.A./Multi-Siren System

The multi-siren features

adjustment, and a public

Located on the center console.

standard siren tones, volume

6-1

6-2

# Reinforced Door Hinges

Vehicle is equipped with state of-the-art Heavy-Duty (HD) hinges that have a built-in door stopper, preventing the use of retaining straps & door swing.



### **External Car Microphone**

6-5

6-6

6-7

6-8

Sleek, low profile microphone installed in the exterior of the vehicle (so you don't open your windows to speak).



This image is properly of Alpine Armor

### **Strobe Lights**

address system.

A


0

Two white strobe lights are mounted in the front grill. Controlled using the P.A./siren control unit in the center console. 6-3

# Rear Quarter Glass

The rear quarter panel of the vehicle is reinforced with ballistic glass

# This image is property of Alpine Armoring



### P.A./Multi-Siren System

Located on the center console. The multi-siren features standard siren tones, volume adjustment, and a public address system. 6-4

### **OEM Appearance**

The exterior of the vehicle with the Armoring conversion will maintain the OEM appearance of the factory vehicle. The Integrate y of Afgine Armorator



# COMPLETED VEHICLE PHOTOS: EXTERIOR



7

protects you better.











# COMPLETED VEHICLE PHOTOS: EXTERIOR

8

protects you better.











ALPINE ARMORING INC.

9

protects you better

# COMPLETED VEHICLE PHOTOS: INTERIOR









# ALPINE ARMORING'S BALLISTIC CHART

	SPECS			LEVELS					BULLETS			protects you better"
WEAPONS	ТҮРЕ	CALIBER (mm)	CLASS	STANAG	UL	ALPINE	NIJ	CEN	MASS (g)	MATERIAL	VELOCITY	NUMBER OF SHOT
A.	.38 Special	9 x 19	Handgun	-	1	A1	I.II.IIA	-	8.00	LCCI	358 M/S	j 💷 🕽
	.357 Magnum	9 x 33	Handgun	-	2	A2	I.IIA	B1 & B3	10.20	JSP	430 M/S	
	.44 Magnum	11 x 33	Handgun	-	3	A3	IIIA	B4	15.60	LWC	440 M/S	, <b></b>
	MP5	9 x 19	SMG	-	6	A4	IIIA	B2	8.00	ເເປ	427 M/S	, <b>—</b>
	Shotgun	12 Gauge	Shotgun	-	3 & 4	Ag	IIIA	SG2	28.30	SLUG	503 M/S	
100	Tokarev	7.62 x 25	Handgun	-	-	A5	IIIA	-	5.50	LCSJ	488 M/S	
T	Kalashnikov (AK-47)	7.62 x 39	Assault Rifle	-	-	A6	III	B5	9.70	SCCI	732 M/S	
	Kalashnikov (AK - 47 Military)	7.62 x 39 API BZ	Assault Rifle	I	-	A7	-	B5+	11.70	SCCI	774 M/S	
	M16/AR-15	5.56 x 45 NATO SS109 5.56 x 45 NATO Ball	Assault Rifle	1	7	<b>A8</b>	IV	B5	4.00	SCCJ LCCJ	900 M/S 833 M/S	3
Bioghymal	Winchester .308	7.62 x 51	Rifle	I	7	A9	III	B6	10.90	LCCJ	810 M/s	j
	Remington 700 SPS	712×63 AP (30-06)	High-Power Rifle	III	5&8	A10	IV	B7-	10.80 8.40	AP	869 M/S 930 M/S	j
	Dragunov	7.62 x 54R B32 API	Sniper Rifle		-	A11	IV+	B7+	10.04	SCCI	854 M/S	
	50 Cal	12.7 x 99	High-Power Rifle	IV	10	A12	-	-	45.00	CI	908 M/S	
T												
Alpine S	L Underwrit IJ National II EN European TANAG NATO's SI LPINE Alpine Arr	nstitute of Justice, ( Standard tandard (STANAG	9108.01	LCCJ Lead Core Copper Jacket JSP Jacketed Soft Point LWC Lead Wad Cutter LCSJ Lead Core Steel Jacket SCCJ Steel Core Copper Jacket AP Armor Piercing SG Shotgun				Shots (5) 11.4 cm Square Pattern (Corners & Center) Shots (3) 11.4 cm Triangular Pattern Velocity Minimum Measured Velocity NJ Rating Levels I, II, IIA, & IIIA (based on 1 of 2 required calibers of ballistic threat)				

10

no one protects you **better** 

Alpine Armoring

\*\*\*\*\*\*

Armor

ALPINE ARMORING INC

11

better

# WARRANTY

# ARMORED CADILLAC ESCALADE

This vehicle, as proposed to the client in this quote, would be under Alpine Armoring's premium warranty covering all added armored parts and labor as well as all added accessories for one full year, effective the day of sale. Additional warranty for longer period is available upon request.

Alpine Armoring Inc. hereby honors this warranty in the United States and around the world against any and all related manufacturer's defects, including parts & labor.

MANAGEMENT AUTHORIZED

MANAGEMENT AUTHORIZED ALPINE ARMORING INC. CHANTILLY, VIRGINIA, USA DATE ISSUED