

# Armored Toyota Land Cruiser

**Armored to Level A9/B6+**Against 7.62x39, 5.56x45, 7.62x51, M193, & M80 Ball

# ALPINE ARMORING INC.

alpineco.com

Table of Contents	Page :
Vehicle Specifications	Page
Opaque Armor Details	Page (
Transparent Armor Details	Page
Additional Features	Page
Completed Vehicle Photos	Page
Ballistic Reference Chart	Page
Vehicle Warranty	Page 9



# **GENERAL SPECIFICATIONS**

VIN: 9FH31UJ7347003534

MAKE: Toyota

**MODEL:** Land Cruiser 3-Door 4x4

YEAR: 2004

**ENGINE:** 4.5L V8 Gasoline

POWER: 212 hp @ 4,600 rpm

5-Speed Manual TRANSMISSION:

COLOR: **Black** 

**INTERIOR:** Grey Cloth/Vinyl

**SEATING:** 2 + 2

**APPROX. WEIGHT:** 6,280 lbs. (2,849kg)

# **OTHER SPECIFICATIONS**

HEIGHT:

74 in.

(187 cm)

WIDTH:

67 in.

(169 cm)

LENGTH:


171 in.

(435 cm)

WHEELBASE:

90 in.

(231 cm)





# **Firewall**

Ballistic steel lines the firewall and provides protection up front.



Roof is lined with ballistic steel at angle.



5-1



# Floor

Floor is lined with ballistic steel to protect against mines and grenade blasts.

5-2

# **Doors**

All doors are lined with composite material.





# **Exhaust Protection**

The exhaust is protected by a steel mesh to prevent sabotage.

5-3

# **Overlaps**

All doors and windows feature ballistic steel overlaps to keep shrapnel from angle shots from entering the cabin.









# **Glass Thickness**

Minimum 39 mm thick glass/ polycarbonate composite transparent armor.

6-1



# **Anti-Spall Layer**

Inner-most anti-spall layer prevents glass and bullet fragments from penetrating into passenger cabin area.

6-2



# **Multi-Hit Protection**

All windows are capable of sustaining multiple hits while providing protection to passengers.

6-3



# **Anchored Windows**

All windows are anchored for additional protection from explosions.

6-4









# Siren System

Located on the left of the center console. The siren features standard siren tones

6-1

# **Rear Split Door Overlap**

Ballistic steel rear doors with overlaps (extra padding used) protect against penetration from every angle





#### **Power Windows**

The front two windows are powered and lower approximately 5-6 inches for documents pass-thru.

6-2

# **Fire Suppression System**

In the event of a fire in the engine area the suppressant system is controlled by pressing a switch on the vehicle control panel.





# **Ignition Protection**

Ignition distributor is encased in a ballistic steel box.

6-3

# **Intercom System**

This is to enable occupants to communicate without leaving the secure confines of the armored vehicle





# **Upgraded Suspension**

Rear springs are upgraded with a stabilizer and extra leaf to better control the vehicle when cornering.

6-4

# **Battery Protection**

The battery is encased in a ballistic steel box.





























# ALPINE ARMORING'S BALLISTIC CHART

- A										"no one protects you		
(A)	SPECS				LEVELS			BULLETS			protects you better"	
WEAPONS	ТҮРЕ	CALIBER (mm)	CLASS	STANAG	UL	ALPINE	NIJ	CEN	MASS (9)	MATERIAL	VELOCITY	NUMBER OF SHOTS
	.38 Special	9 x 19	Handgun	_	1	<b>A</b> 1	I.II.IIA	-	8.00	FCC1	358 M/S	5
	.357 Magnum	9 x 33	Handgun	_	2	A2	I.IIA	B1 & B3	10.20	JSP	430 M/S	5
	.44 Magnum	11 x 33	Handgun	-	3	<b>A3</b>	IIIA	B4	15.60	LWC	440 M/S	į —
70	MP5	9 x 19	SMG	-	6	A4	IIIA	B2	8.00	rca	427 M/S	<sub>5</sub> —
	Shotgun	12 Gauge	Shotgun	-	3 & 4	Aã	IIIA	SG2	28.30	SLUG	503 M/S	3
	Tokarev	7.62 x 25	Handgun	-	-	A5	IIIA	-	5.50	LCSJ	488 M/S	5
	Kalashnikov (AK-47)	7.62 x 39	Assault Rifle	-	-	A6	III	B5	9.70	2CC1	732 M/S	-
-	Kalashnikov (AK - 47 Military)	7.62 x 39 API BZ	Assault Rifle	II	_	A7	-	B5+	11.70	2CC1	774 M/S	
Par	M16/AR-15	5.56 x 45 NATO SS109 5.56 x 45 NATO Ball	Assault Rifle	1	7	A8	IV	B5	4.00	rcc) 2CC)	900 M/S 833 M/S	3
- Control of the Cont	Winchester .308	7.62 x 51	Rifle	1	7	A9	III	B6	10.90	rcci	810 M/S	5
	Remington 700 SPS	762 × 63 AP (.30-06)	High-Power Rifle	III	5 & 8	A10	IV	B7-	10.80 8.40	AP	869 M/S 930 M/S	5
	Dragunov	7.62 x 54R B32 API	Sniper Rifle		-	A11	IV+	B7+	10.04	2CC1	854 M/S	
	.50 Cal	12.7 × 99	High-Power Rifle	IV	10	A12	-	-	45.00	CJ	908 M/S	



UL ...... Underwriters Laboratory, 752

NIJ ...... National Institute of Justice, 0108.01

CEN ..... European Standard

STANAG ... NATO's Standard (STANAG 4569)

ALPINE .... Alpine Armoring's Certified Standard

LCCJ ...... Lead Core Copper Jacket

JSP ...... Jacketed Soft Point LWC ...... Lead Wad Cutter

LCSJ ...... Lead Core Steel Jacket SCCJ ...... Steel Core Copper Jacket

AP ..... Armor Piercing

SG ..... Shotgun

Shots (5) .... 11.4 cm Square Pattern (Corners & Center)

Shots (3) .... 11.4 cm Triangular Pattern Velocity ..... Minimum Measured Velocity

NIJ Rating .. Levels I, II, IIA, & IIIA (based on 1 of 2 required calibers of ballistic threat)







# WARRANTY

# **TOYOTA LAND CRUISER 3DOOR**

This vehicle, as proposed to the client, would be under Alpine Armoring's premium warranty covering all its armored parts and labor as well as all added accessories for one full year, effective the day of sale. Additional warranty for longer period is available upon request.

Alpine Armoring Inc. hereby honors this warranty, in the United States and worldwide, against any and all related manufacturer's defects, including parts and labor.

MANAGEMENT AUTHORIZED ALPINE ARMORING INC. HERNDON, VIRGINIA, USA

DATE ISSUED

