

2021 Mercedes-Benz Sprinter







TO LEAD

Groundbreaking. Game-changing.

Over 120 years of leadership brought us to this. The Sprinter is an innovative van with a unique inspiration. It's not about us — it's about you. It's the van you would build. Modular. Customizable. Scalable. With hundreds of variations and solutions so you can create a vehicle that's ready to meet your needs today and tomorrow. It has the brawn to get the job done and the brains to help keep you safe, connected, and cost-efficient along the way. The Sprinter is ready for anything.

OVER 120 YEARS OF VAN INNOVATION

1929

1896 Benz company invents the motorized van, dubbed a

"combination

delivery vehicle."

Introduction of the Mercedes-Benz L 1000 Express van.

Mercedes-Benz introduces the L 319 and reinvents the light truck segment.

1956

1967

Mercedes-Benz introduces a new large-capacity van, the L 406 D.

1977

Mercedes-Benz launches a new light van lineup, internally called the TN or T 1.

1986

Mercedes-Benz presents a new van range, internally called the T 2.

1995

The first-generation Sprinter Van launches in Europe and wins "International

2006

The second-generation Sprinter enters the European market.

2010

The Mercedes-Benz Sprinter enters the US market.

MERCEDES-BENZ VANS COME TO THE US

2015

The mid-size Mercedes-Benz Metris enters the US market.

2018

The Sprinter brings an entirely new concept to the large van segment.













Because in the end, when it comes to protecting you and your

passengers from danger, no standard is too high.

SAFETY FEATURES



ACTIVE BRAKE ASSIST¹ This advanced system senses the likelihood of a collision with a vehicle ahead and sends both a visual and audible warning followed by initiating autonomous braking.




ACTIVE DISTANCE ASSIST DISTRONIC®5

This intelligent cruise control system senses traffic conditions and actively controls your speed to keep you at a safe distance.



360° CAMERA⁶ When the Reverse gear is selected, this visual parking aid uses four digital cameras to generate various views of the vehicle's surroundings and show them in real time on the multimedia display.



ATTENTION ASSIST^{®2} helps prevent drowsy driving by monitoring your driving patterns and providing an early warning in case fatigue is detected.



BLIND SPOT ASSIST³ has Rear Cross-Traffic Alert (RCTA), which employs automatic braking to avoid a collision with traffic crossing the vehicle's path (e.g., vehicles or pedestrians) when reversing.



crosswind assist⁷ helps stabilize your van and boosts safety in strong, gusting crosswinds. This standard feature helps ensure that your vehicle remains in its lane at highway speeds.



HILL START ASSIST briefly stops the vehicle from rolling backward or forward, giving you an extra level of safety and confidence when making a hill start. Hill Start Assist maintains brake pressure for approximately two seconds, so you can remove your foot from the brake pedal without rolling.




ACTIVE LANE KEEPING ASSIST¹⁰ can provide you with visual and audible warnings if your van leaves its lane unintentionally. A camera in the windshield monitors the road ahead and helps detect when you may have veered away from lane markings.



TRAFFIC SIGN ASSIST³¹ uses a camera to give drivers additional help with identifying speed restriction signs, No Passing zones, and No Entry signs.



With **RESCUE ASSIST**, sm first responders to an accident can scan a QR code in a Mercedes-Benz Van to quickly see where batteries, airbags, and other structural elements are located in order to safely perform the rescue.



LOAD-ADAPTIVE ELECTRONIC STABILITY PROGRAM (ESP®)⁸ This dynamic handling system actively intervenes to help keep the van firmly under control and safe by automatically braking individual wheels, and reducing engine power to help stabilize the vehicle if wheelspin, understeer, or oversteer is detected.



DRIVER AND PASSENGER AIRBAGS⁹
The driver and passenger front, thorax, and window airbags⁹ help protect you and your passengers in the event of a collision.

Sprinter airbags shown are from Model Year 2014.



HIGHBEAM ASSISTSM adjusts the highand low-beam headlamps automatically, allowing for continuous adaptation to the prevailing traffic situation. The system helps ensure better and earlier recognition of the course of the road.



Performance is about having the horsepower, torque, and hauling capabilities to handle whatever you have to do. The Sprinter gives you that confidence, and the flexibility to choose between two drivetrains. You can have turbocharged muscle and the convenience of gasoline in one package with a 4-cylinder turbocharged gasoline engine mated to an industry-leading 9G-TRONIC 9-speed transmission as standard equipment: And for diesel fans, there's 4-cylinder diesel and 6-cylinder diesel engines with a 7G-TRONIC 7-speed transmission.¹¹

A 3.0L V6 turbo diesel engine¹¹ with 7-speed transmission is also available. If you don't want bad weather or road conditions to stop you from getting to work, go for the optional 4x4 drivetrain with on-demand 4-wheel drive.

power, good fuel economy, and proven longevity."

- KELLEY BLUE BOOK'S KBB.COM†



3500 Cargo Review on Kelley Blue Book's KBB.com. Kelley Blue Book is

THE EFFICIENCY OF DIESEL. THE CONVENIENCE OF GAS. IT'S YOUR CHOICE.



3.0L 6-CYLINDER TURBO DIESEL (V6)11

CONFIGURATION: DOHC

INDUCTION SYSTEM: Common-Rail-Direct-Injection (CDI)

BORE/STROKE: 83.0 mm/92.0 mm

HORSEPOWER @ RPM: 188 hp @ 3,800 rpm

TORQUE: Ib-ft @ RPM: 325 lb-ft @ 1,400-2,400 rpm

TRANSMISSION: Automatic Transmission, 7G-TRONIC Plus



2.0L 4-CYLINDER DIESEL (I4)11

CONFIGURATION: DOHC

INDUCTION SYSTEM: Common-Rail-Direct-Injection (CDI)

BORE/STROKE: 83.0 mm/99.0 mm

HORSEPOWER @ RPM: 161 hp @ 3,800 rpm

TORQUE: Ib-ft @ RPM: 266 lb-ft @ 1,400-2,400 rpm

TRANSMISSION: Automatic Transmission, 7G-TRONIC Plus



2.0L 4-CYLINDER TURBO GASOLINE*

CONFIGURATION: DOHC


INDUCTION SYSTEM: Bosch injection (200 bar)

BORE/STROKE: 83.0 mm/92.0 mm

HORSEPOWER @ RPM: 188 hp @ 5,000 rpm

TORQUE: Ib-ft @ RPM: 258 lb-ft @ 2,500-3,500 rpm

TRANSMISSION: Automatic Transmission, 9G-TRONIC





TORQUE: IT'S WHAT'S INSIDE THAT COUNTS.

Horsepower numbers are fine, but torque is what your van needs to get up to speed. What's also important is the rpm at which the peak torque numbers come in. Notice how the Sprinter's peak torque comes in at 1,400 rpm—just above an idle. This means that you'll be at peak torque quickly—and moving from a standing stop efficiently.

READY

WITH EFFICIENCY

Higher satisfaction. Lower cost of ownership.

When you're looking at a commercial van, there are two cost factors to consider: the cost to buy it and the cost to own it. The Sprinter is designed to deliver cost effectiveness that lasts for years. Combine this with the van's legendary durability, and the Sprinter will keep your day-to-day costs down and your productivity up — ultimately helping your whole company run more smoothly.

In addition to lowering your total cost of ownership, the Sprinter helps keep drivers efficient and productive with amenities such as:

- Ergonomic seats with lowered sides and lumbar supports
- Comfortable pedal position
- Elimination of display reflections in windscreen
- Optimized noise reduction
- Increased steering wheel adjustability
- Multiple rear-step variations



GASOLINE ENGINE

The Sprinter offers a turbocharged 4-cylinder gasoline engine with Direct Injection and 258 lb-ft of torque as standard equipment.*

EFFICIENT DIESEL ENGINES



6-CYLINDER DIESEL ENGINE (V6)11

With turbocharged power, 325 lb-ft of torque, and diesel fuel economy, the Sprinter's impressive 6-cylinder engine delivers power and durability in one compact package.



4-CYLINDER DIESEL ENGINE (I4)11

One of the most popular engine models in Sprinter history, the 4-cylinder diesel balances low fuel consumption, low emissions, and low noise and vibration levels with high torque and high elasticity at low speeds.



7G-TRONIC PLUS 7-SPEED AUTOMATIC TRANSMISSION

The low first gear and overdrive high gear in the Sprinter's 7-speed automatic transmission help you accelerate from a stop and conserve fuel on the highway.



9G-TRONIC 9-SPEED AUTOMATIC TRANSMISSION

This transmission is a first for the segment and features rapid response, a smooth transition between gears, and efficient highway driving.



UP TO A 20,000-MILE SERVICE INTERVAL¹²

The Sprinter's Best-in-Class service intervals of up to 20,000 miles¹² for diesel and up to 15,000 miles¹² for gas keep you on the road, raising productivity and lowering the total cost of ownership.




The Sprinter won the 2019 ALG Residual Value Award.¹³

14

*Gasoline engine not available on all models.

READY



Our connectivity solutions¹⁴ are standard on every eligible Sprinter.

CONNECTIVITY SOLUTIONS FOR YOUR VEHICLE14



COMMUNICATION MODULE²³

-standard in every Sprinter.
This is the central point of contact that ensures the broadest range of connectivity, quickly transmitting data with the permanently installed



INTERFACES TO MANAGE YOUR **VEHICLES REMOTELY**

overview of your vehicle — by simplifying logistics and increasing productivity



MERCEDES ME CONNECT APP²² -the direct line to the driver.

BENEFITS AT A GLANCE

FOR THE BUSINESS OWNER

- Increase overall business efficiency
- · Pinpoint the location of your vehicle
- Integrate your vehicle data into fleet management systems
- Monitor your vehicle data effectively¹⁸

FOR THE DRIVER

- Effective assistance15 in case of an emergency
- . More efficient working procedures with remote access to upcoming maintenance information on the vehicle¹⁸



Mercedes me connect

Mercedes me connect²⁰ is the digital extension of your van. Whether you're getting customer support or simply checking your fuel, *Mercedes me connect*²⁰ is here to make life easier.


BENEFITS AT A GLANCE:

- Mercedes me connect²⁰ provides a quick snapshot of your mileage, fuel level, tire pressure, fluids, and more. Plus you can see your vehicle's location, and lock or unlock the doors at the touch of a button.
- Enjoy maintenance and support with a personal touch. From maintaining your vehicle to receiving help in the event of an accident, *Mercedes me connect*²⁰ provides an additional layer of comfort and safety.
- The Mercedes me connect App²² provides an overview of your vehicle by housing your remote access services.¹⁹ Download the app today, and take full advantage of your Mercedes me connect²⁰ services. Available on Android, iOS, and Apple Watch.

For more information, visit our website at https://www.mbusa.com/en/mercedes-me-connect

17

READY



THE SPRINTER INFOTAINMENT SYSTEM FEATURES:



CHARGING OPTIONS are strategically located on the dashboard and include USB-C ports, wireless, and 12V chargers.



LIVE TRAFFIC INFORMATION¹⁶ provides traffic data in real time for more efficient traveling to and from work.



SMARTPHONE INTEGRATION FOR APPLE CARPLAY® AND ANDROID™ AUTO²⁴ as well as Bluetooth® capability are available in the Sprinter.



WIRELESS INTERNET ACCESS²¹ provides a highly stable connection that allows for the use of mobile devices in the vehicle.



MERCEDES-BENZ EMERGENCY CALL SYSTEM¹⁵ sends out an automatic emergency call for faster arrival of rescue services.



7" AND 10.25" TOUCHSCREENSDisplay screens that are activated via touch, voice control, or touch buttons on the steering wheel are available on the Sprinter.

19



THE INNOVATIVE MBUX (MERCEDES-BENZ USER EXPERIENCE) delivers content from navigation to entertainment, and includes optional LINGUATRONIC "Hey Mercedes" voice control and what3words, our geocoded map system.





Thousands of configurations. Unlimited potential.

When we say the Sprinter is ready for anything, we mean that literally.

Choose from thousands of features, configurations, and upfit solutions that give you the ability to build a van that's ready to work for you now, and prepared to carry your business into the future. It's the difference between a van that you merely drive and a van that is driven to help you succeed.

Maximum effort.

Whatever your work demands are, the Sprinter Cargo Van gives you the flexibility to create

a configuration to meet your exact needs. The 1500 is a lighter-duty model that delivers big-time

productivity. For serious hauling capability, the 4500 model will handle your heaviest jobs. There's also a 2500, a 3500, and a 3500XD model. Whichever you choose, the service intervals of up to 20,000 miles¹² for

diesel and up to 15,000 miles¹² for gasoline will keep your productivity high and your cost of ownership low.

Sprinter Cargo Vans are available in 1500, 2500, 3500, 3500XD, and 4500 series.

SPECIFICATIONS



Available on the Single tire models, this wheel arch covering's square shape and flat top provide extra storage opportunities, as well as protection for the wheel arch.



The rear doors feature hinges with self-locking mechanisms.



LED strip lighting improves cargoloading vision.



Pallet bracing and tie-downs help when hauling cargo with unusual sizes and shapes²⁵



The Sprinter 4500 model sets the benchmark for payload capacity of up to 6,823 lbs.

TWO ROOF HEIGHTS

Max: 109.1

STANDARD ROOF

Max: 95.5"

Max: 97.9"



HIGH ROOF

Max: 95.5"

THREE LENGTHS



233.5" (144" WB) 274.3" (1**70**" WB) 290" (170" EXT. WB)

SPRINTER CARGO QUICK FACTS

MAXIMUM PAYLOAD:

6,823 lbs.

MAXIMUM CARGO VOLUME: 532.6 cu. ft.



MAXIMUM TOWING CAPACITY:26 7,500 lbs.



MAXIMUM CARGO FLOOR LENGTH: 189.4"



MAXIMUM CARGO FLOOR WIDTH:


70.4"

*Gasoline engine not available on all models.

All measurements in inches. All width measurements include mirrors. See page 40 for a complete listing of models and specifications.



2.0L 4-cylinder turbo gasoline,* 3.0L 6-cylinder turbo diesel (V6),11 2.0L 4-cylinder diesel (I4)11



9G-TRONIC 9-speed Automatic Transmission, 7G-TRONIC Plus 7-speed Automatic Transmission



Sprinter Crew Vans are available in 2500, 3500, 3500XD, and 4500 series.

Carrying you forward.

Once again, we've created a van to fulfill a specific need. The Sprinter Crew Van seats

up to five, and still has room for material or cargo. To fulfill the need for power and desire for

the convenience of gasoline, a 4-cylinder turbocharged gasoline engine with a Best-in-Class

9G-TRONIC 9-speed transmission is standard equipment.* A V6 turbo diesel engine¹¹ with a

7-speed transmission is also available.

SPECIFICATIONS



The removable 3-seat bench is covered in durable upholstery and gives your crew a roomy, safe, and comfortable ride.



In addition to seating for up to five people, the Sprinter Crew Van features ample cargo space.

TWO ROOF HEIGHTS

Max: 109.1'

STANDARD ROOF Max: 95.5"

Max: 97.9"

HIGH ROOF Max: 95.5"



TWO LENGTHS



233.5" (144" WB)

274.3" (170" WB)

SPRINTER CREW QUICK FACTS



MAXIMUM PAYLOAD: 6,437 lbs.



MAXIMUM CARGO VOLUME: 370.8 cu. ft.



MAXIMUM TOWING CAPACITY:26



MAXIMUM CARGO FLOOR LENGTH:

*Gasoline engine not available on all models.

All measurements in inches. All width measurements include mirrors. See page 42 for a complete listing of models and specifications.



2.0L 4-cylinder turbo gasoline,* 3.0L 6-cylinder turbo diesel (V6),11


2.0L 4-cylinder diesel (I4)11





TRANSMISSIONS:

9G-TRONIC 9-speed Automatic Transmission, 7G-TRONIC Plus 7-speed Automatic Transmission





Mercedes-Benz can deliver.

Sprinter Passenger Vans are available in 1500 & 2500 series.

Seats 15. Stands alone.

Looking to carry more passengers? The Sprinter accomplishes that in a big way with seating for

ample room for luggage. All the while, you'll know that they're protected by a level of safety only

up to 15 people.* USB-C ports can keep them connected, and the spacious rear storage area provides

SPECIFICATIONS

The Sprinter Passenger Van offers seating for up to



An impressive interior standing height of up to 6'3" provides greater passenger comfort with plenty of room to move.



Roof air conditioning comes in two output levels, including a high-performance air conditioner.



The ergonomic rear seats have individual headrests and an available reclining option.



The maximum 69.8" floor width and generous legroom mean there's plenty of room to sit and stretch out.

TWO ROOF HEIGHTS

STANDARD ROOF Max: 92.3"

Max: 102.8"

Max: 114.2"



HIGH ROOF

TWO LENGTHS



233.5" (144" WB)

274.3" (170" WB)

TWO INTERIOR CONFIGURATIONS

12-PASSENGER (144" WB)

15-PASSENGER (170" WB)*

SPRINTER PASSENGER QUICK FACTS

MAXIMUM PAYLOAD: 3,494 lbs.



MAXIMUM CARGO VOLUME: 111.2 cu. ft.



MAXIMUM TOWING CAPACITY:26 5,000 lbs.



TRANSMISSIONS: 9G-TRONIC 9-speed Automatic Transmission, 7G-TRONIC Plus 7-speed Automatic Transmission



2.0L 4-cylinder turbo gasoline, 3.0L 6-cylinder turbo diesel (V6),11

2.0L 4-cylinder diesel (I4)11



75.5"

MAXIMUM INTERIOR STANDING HEIGHT:



SEATING CAPACITY: Up to 15*

^{*}Seating for 15 only available on diesel model. †Gasoline engine not available on all models.

Sprinter Cab Chassis/Cutaway Vans are available in 3500XD & 4500 series.

Ready for your future.

A successful future starts with a strong foundation. That's exactly what the

RV, its flat, unobstructed frame rails let you design virtually anything you'd like. Motivation for your plans comes from the powerful and efficient V6 turbo diesel engine¹¹ with a 7G-TRONIC Plus 7-speed automatic transmission.

28

Sprinter Cab Chassis/Cutaway gives you. From a box truck to a technologically advanced

SPECIFICATIONS



Choose between the standard 3500XD model (GVWR of 11,030 lbs.) or the optional 4500 model (GVWR of 12,125 lbs.) and build the Sprinter Cab Chassis/ Cutaway that works best for you.



The Sprinter's flat, unobstructed frame rails are the perfect place to bring your vision of the ideal business

ONE ROOF HEIGHT



TWO LENGTHS



SPRINTER CAB CHASSIS/CUTAWAY QUICK FACTS



MAXIMUM PAYLOAD:

7,484 lbs.



3.0L 6-cylinder turbo diesel (V6),11 2.0L 4-cylinder diesel (I4)11



7G-TRONIC Plus 7-speed Automatic Transmission




MAXIMUM TOWING CAPACITY:26 7,500 lbs.



SEATING CAPACITY: Up to three



Sprinter 4x4 Vans are available in 2500 & 3500XD series.



PASSENGER

TWO ROOF HEIGHTS

STANDARD ROOF **HIGH ROOF**

Max: 92.3"

Max: 92.3"

ONE LENGTH



233.5" (144" WB)

CREW

TWO ROOF HEIGHTS

Max: 111.3"

STANDARD ROOF

Max: 95.5"

Max: 107.3"

HIGH ROOF

Max: 95.5"

TWO LENGTHS



233.5" (144" WB)

274.3" (170" WB)

CARGO

TWO ROOF HEIGHTS

STANDARD ROOF

Max: 95.5"

HIGH ROOF

Max: 95.5"



THREE LENGTHS



233.5" (144" WB)

274.3" (170" WB)

290" (170" EXT. WB)

All measurements in inches. All width measurements include mirrors. A complete listing of models and specifications begins on page 40.







Your one stop for productivity.

You're the expert in your trade, and your van is the tool with which to get the job done. ExpertSOLUTIONS²⁷ allows you to quickly configure your van and order directly via your Mercedes-Benz Vans dealer to get you exactly the van you want right when you need it, so you can concentrate on finishing the job.

Build your van now or get inspired by visiting www.mbvans.com/en/upfitting

ExpertSOLUTIONS²⁷ providers Auto Truck, Knapheide, and Driverge bring you a portfolio of turnkey solutions for your specific line of business—HVAC, Plumbing, Electrical, Telecommunication, Contracting, Delivery, Refrigeration, Food Services, and People Moving—all at a preferred price. These preconfigured solutions from industry-leading manufacturers are customized to fit your Mercedes-Benz Van. The ordering process is streamlined, and installation is simple: all ExpertSOLUTIONS²⁷ can be fitted directly as Ship-Thru, right next to our factory in South Carolina, which saves you time and ensures seamless integration, quick delivery, and consistent quality.













Gas Sprinter Term

4 years / 80k / 5 services

Term

6 years / 120,000 miles

7 years / 140,000 miles



These simple-interest, fixed-payment packages lock in interest rates and can include van and upfit equipment, as well as aftermarket products, in one contract.

A closed-end lease agreement is also known as a "walkaway lease," since the lessee can simply turn in the vehicle and walk away at lease maturity after meeting all contractual obligations, subject to certain return conditions and mileage restrictions.

A Terminal Rental Adjustment Clause (TRAC) lease²⁹ doesn't require any acquisition fee, up-front payment, or excess mileage charges, and lease payments may be expensed against income. Owners are responsible for the residual value of the vehicle.

We have your back.

VanCARE is a promise to our customers to deliver genuine parts, superior service, and unparalleled commitment to getting you back on the road as quickly as possible. We know that for you, it isn't a van it's a tool you need to make a living.


For more information, visit www.mbvans.com/sprinter/mercedes-van-parts-and-services

ROADSIDE ASSISTANCE³⁰

All Mercedes-Benz Vans come standard with our 24-hour Roadside Assistance Program³⁰ and expert advice 24/7 through the Mercedes-Benz Customer Assistance Center, providing you with peace of mind and help when you need it most.

ServiceCARE - Service solutions built for you

Whether it's a maintenance service, unexpected warranty work, or now a wear and tear repair, our ServiceCARE products are customized solutions for you. You can now focus on your business with your vehicles always in top shape, minimizing your downtime and maximizing your financial cost control.



The Extended Limited Warranty product offers you greater coverage for mechanical, electrical, and electronic components. It protects you against unforeseen repair costs, and without any deductibles, you get the benefit of predictable and attractive conditions.

Maintenance (PPM) Service Repair Wear & Tear Keeping your va Regular and accurate ch

Keeping your van in top shape	Term
Regular and accurate checking of the most important vehicle parts and functions	2 services / 3 years
ensures that your van continues to deliver outstanding performance and reliability. Maintenance prevents unnecessary repair costs and keeps downtime minimal.	4 services / 5 years
	6 services / 7 years

		6 services / 7 years
Manufacturer Warranty Overview	3 year / 36k	5 year / 100k
New Vehicle Warranty	•	
Powertrain Warranty		•
Diesel Engine Limited Warranty		•
Federal Emissions Warranty Diesel		•

SPRINTER OVERVIEW

Applies to all Sprinter models

POWERTRAINS		ENGINE	
	2.0L 4-Cylinder Turbo Gasoline*	3.0L V6 Turbo Diesel ¹¹	2.0L I4 Diesel ¹¹
Configuration	DOHC	DOHC	DOHC
Fuel injection	Direct	Direct	Direct
Induction system	Bosch Injection	Common-Rail-Direct-Injection	Common-Rail-Direct-Injection
Cylinders	4	6	4
Cylinder heads	Aluminum	Aluminum	Aluminum
Block material	Aluminum	Aluminum	Aluminum
Bore/stroke	83.0mm/92.0mm	83.0mm/92.0mm	83.0mm/99.0mm
Compression ratio	9.8:1	18.0:1	16.2:1
Transmission	9G-TRONIC 9-Speed Automatic Transmission	7G-TRONIC Plus 7-Speed Automatic Transmission	7G-TRONIC Plus 7-Speed Automatic Transmission
Horsepower @ rpm	188 hp @ 5,000 rpm	188 hp @ 3,800 rpm	161 hp @ 3,800 rpm
Torque lb-ft @ rpm	258 lb-ft @ 2,500-3,500 rpm	325 lb-ft @ 1,400-2,400 rpm	266 lb-ft @ 1,400-2,400 rpm
Recommended fuel	Regular 87 Octane	B5 Diesel	B5 Diesel
Fuel tank capacity	22 gal	24.5 gal	24.5 gal

STANDARD FEATURES

	MECH <i>E</i>	ANICAL	
Gasoline engine only	Diesel engine only	Gasoline and Diesel engines	
Engine: 2.0L 4-Cylinder Turbo Gasoline	• Engines: 3.0L V6 Turbo Diesel, 2.0L I4 Diesel	AGM Battery 12V AH 850A	• Pre-installation for Switch Panel (not available on 4x4)
9G-TRONIC 9-Speed Automatic Transmission	7G-TRONIC Plus 7-Speed Automatic Transmission	Body Builder Connector	Pre-installation PSM
Generator 14V/250A	Alternator 14V/220A	Cruise Control	Pre-wiring for Trailer Hitch
SULEV Emissions	3rd Generation SCR Emission Control System	Exhaust Straight to Rear	Remote Key (315mhz) with Central Locking
• Service Interval: Up to 15,000 miles ¹²	• ULEV/SULEV Emissions [†]	Jump-Start Terminal	Starter Battery Disconnect
	• Service Interval: Up to 20,000 miles 12		
	Fuel Filter with Water Separator		
SEATING	EXTERIOR	INTER	RIOR
Adjustable Driver Seat	Dual-Circuit 4-Wheel Disc Brakes	Adjustable Steering Wheel (Angle)	Multifunction Steering Wheel
Adjustable Front Passenger Seat	Front and Rear Mudflaps	Air Conditioning, Front	Outside Temperature Gauge
Armrest for Driver Seat	Heated and Electrically Adjustable Exterior Mirrors	Communication Module (LTE) for Digital Services	Shelf Above Windshield
Armrest for Front Passenger Seat	• Rear Doors Opening to Side-Wall (optional on 144" & 170" models)	Cupholder, Front	Speedometer, mph
Fabric, Maturin Black	Red Diesel Filler Cap (Diesel only)	Heater, Auxiliary Electric Hot Air	Standard Radio
	Windshield with Filter Band	• Jack, Hydraulic	Storage Compartment Underneath Cockpit
		KEYLESS-START	• USB-C Socket, 5V
TIRES & WHEELS		SAFETY & SECURITY	
All-Season Tires	4-Wheel Anti-Lock Braking System (ABS)	Emergency Call System ¹⁷	Seat Belt Reminder, Driver/ Passenger
Unspecified Tire Brand	Active Brake Assist	Headlight Assistant	• Thorax-Pelvis Side Airbags, Driver/ Passenger
	Airbag, Driver/Passenger Front	Hill Start Assist	Window Side Airbags, Driver/ Passenger
	Breakdown Management	HOLD Function	
* Gasoline engine not available on all models. † ULEV Emissions below 10,000 lbs. SULEV Emissions above 10,000 lbs.	• Crosswind Assist ⁷	• Load-Adaptive Electronic Stability Program (ESP®) ⁸	

			SPRINTER MOI	DEL OVERVIEW			
Body L	ength	Roof Heights	1500 Model	2500 Model	3500 Model	3500XD Model	4500 Model
	STANDARD	STANDARD ROOF	G	G D 4×4	0	0 4×4	0
	(144")	HIGH ROOF	G	6 D 4×4	0	0 4×4	0
CARGO VAN	LONG (170")	HIGH ROOF		G D 4×4	0	0 4×4	0
	EXTRA LONG (170" EXT)	HIGH ROOF		0 4×4	0	0 4×4	0
	STANDARD	STANDARD ROOF		6 D 4×4	0	0 4×4	D D
CREW VAN	(144")	HIGH ROOF		G D 4×4	0	0 4×4	0
	LONG (170")	HIGH ROOF		6 0 4×4	0	0 4×4	0
	STANDARD (144")	STANDARD ROOF	6	6 D 4×4			
PASSENGER VAN	12-PASSENGER	HIGH ROOF	G	6 D 4×4			
	LONG (170") 15-PASSENGER	HIGH ROOF		0			
CAB CHASSIS/	STANDARD (144")	STANDARD ROOF				0	0
CUTAWAY	LONG (170")	STANDARD ROOF				0	3



ADDITIONAL STANDARD FEATURES (CARGO)	500	2500	0	15	0051		500	200	3500	1500XD	1500	1		500	200	3500	1500XD	0051
MECHANICAL	<u> </u>	7	m	ļπ	4			7	<u>س</u>	m	4	Ц		드	7	m	m	4
 Aux. fuel sending unit with fuel tap** 	X	X	X	X	X	Cable duct – side-wall	Х	X	X	X	X		Stabilization Level II			X	X	X
Axle ratio 3.923**		X				Front axle reinforced					X		Tire pressure monitoring lamp	X	X		П	
Axle ratio 4.182 (standard on 2500 gas models only)	Х	Х	X	X	X	Omission bulkhead	Χ	Х	X	X	X	1						
Cable duct – rear portal	Х	Х	Х	X	X	Stabilization Level I	Х	Χ										

INTERIOR

X X X X X • Wood floor deletion XXXXXX Interior lights, cargo compartment

EXTERIOR						TIRES & WHEELS						TIRES & WHEELS (CONTINUED)					
3rd brake light	X	X	X	X	X	5.5 J x 16 steel wheels			X	X	X	Tires LT 215/85 R16	Π		X	X	X
High roof			X			6.5 J x 16 steel wheels	X	X				Tires LT 245/75 R16	X	X			
Rear doors, 180° opening	X	X	X	X	X	Dual rear wheel tires			X	X	X	SAFETY & SECURITY					
Rear mudflaps	X	X	X	X	X	Spare wheel	X	X	X	Х	X	Longitudinal member reinforcement	X	X	X	X	X
Sliding door, passenger side	X	X	X	X	X	Spare wheel bracket below frame	X	X	X	Х	X	360° camera³ (rearview mirror display)	X	X	Х	X	X

OPTIONAL FEATURES (CARGO)	1500	2500	3500	3500XD	4500		1500	2500	3500	3500XD	4500		1500	2500	3500	3500XD	4500
 12V power outlet, rear compartment 	X	X	X	X	>	AGM battery 12V 95Ah 850A	X	X	X	X	X	Fuel gauge, optimized for aux. fuel tap**		X	X	X	X
115V socket	X	X	X	X	X	Axle ratio 3.923**			X	X	X	Misfueling prevention for diesel	X	Χ	X	X	X
Additional bar for driveshaft	V	Tv	Tv	$ _{X}$	\int_{X}	Axle ratio 4.182 (optional on 2500 diesel models only)		X			П	Omission of D-Rings	X	Χ	X	X	X
& exhaust extension	^	^	^	^	1	Backup alarm	X	X	X	X	X	Parametric Special Module (PSM)	X	Χ	X	X	X
Additional battery for retrofit consumers,	Ιx	Ιv	Tv	$ _{X}$	Τ	Cutoff relay for additional battery	X	X	X	X	X	Speed limitation, 65 mph (standard on 4500 models)	X	X	X	X	
driver seat base	^	^	^	1^	1	Deactivation lamp monitoring failure	X	X	X	X	X	Stabilization Level II	X	X			
Additional battery for retrofit consumers,	X	lχ	Tv	Tv	T	Electric parking brake	X	X			П	Suspension for comfort and load protection	X	Χ			
engine compartment	^	^	^	^	1	Engine oil level display at cold start**		X	X	X	X	Top speed limitation, 75 mph	X	Χ	Х	X	
Additional DIN-slots	X	X	X	X	X	Front axle reinforced (standard on 4500 model)	X	X	X	X	П						

SEATING

Artico Man-made Leather Black	X X X X X X • Heated driver seat	X X X X X X X • Heated front passenger seat	X X X X X
Fabric, Caluma Black	X X X X X		

INTERIOR																
2nd row, fixed window, driver side	ΙX	X	X	X	X	Electrically heated windshield	X	ΙX	X	X	X	Rear cabin heater & vents	X	TX	X []	\overline{X}
2nd row, fixed window, passenger side	X	Х	Х	X	X	Fixed sunroof (rear roof section)	X	X	X	X	X	Rear doors, opening to side-wall	X	X	X :	X
Acoustic Package	X	X	X	X	X	Floor covering, plastic	X	X	X	X	X	Rear heater prep	X	X	X []	X
Assist handle, B-pillar	X	X	X	X	X	Fuel-fired heater/booster (17,000 BTU)**		X	X	X	X	Rear window defroster	X	X		Χĺ
Assist handle, left rear door	X	X	X	X	X	Fuel-fired pre-heater/booster (17,000 BTU)**	П	X	X	X	X	Roof fan, electric	X	X	₹T:	X
Assist handle, right rear door	X	X	X	X	X	Half height load compartment trim	X	X	X	X	X	Satellite radio	X	X	$\langle \rangle$	Χĺ
Cab rear wall liner	X	Х	Х	Х	X	Heat insulation, front compartment	X	X	X	X	X	Shelving prep	X	X	$\langle \Box$	X
Cargo lashing rails, head height	X	Х	Х	Х	Х	Heat insulation, rear compartment	X	X	Х	X	X	Side-wall paneling full hardboard	X	X		X
Cargo partition	X	X	X	X	X	Hinged lid for storage compartment	X	X	X	X	X	Side-wall paneling waist height PVC	X	X		Χĺ
Cargo partition with one window	X	X	X	X	X	Illuminated front exits	X	X	X	X	X	Storage compartment above cabin		Т	Т	
Cargo straps, D-rings ²⁵	X	X	X	X	X	Instrument cluster with color display	X	X	X	X	X	THERMOTRONIC automatic climate control	X	X	()	\overline{X}
Cargo straps, lashing rails ²⁵	X	X	X	X	X	Keys, two additional masters	X	X	X	X	X	Tray for smartphones incl. wireless charging	X	X	()	X
Charging Package, dashboard	X	Х	Х	Х	X	Lashing rails, floor-level (plus four anchors)	X	X	X	X	X	Wood floor with six D-rings ²⁵	X	X	$\langle \Box \rangle$	X
Cigarette lighter & ash cup, front	X	X	X	X	X	Lashing rails, waist-level	X	X	X	X	X					
Coat hooks in driver cabin	X	X	X	X	X	Light/motion sensor in rear compartment	X	X	X	X	X					
DEF fluid filler cap – lockable	X	X	X	X	X	Optional 3-button keys	X	X	X	X	X					
 Door-mounted assist handle, driver & passenger 	Х	Х	Х	Х	Х	Overhead storage slot, front center	X	X	Х	Х	X					
Door sill – protective edge	X	X	X	X	X	Pallet support in sliding door step	X	X	X	X	X					

EXTERIOR

Black finting (90%) for rear windows	X	X	X	X	X	Heated rear window(s) with washers/wipers	X	X	X	X	١X	Single)			X	X		ı
Bumpers front/rear primed	X	X	X	X	X	High roof (standard on 3500)	X	X		X	X	Light-alloy wheels 6.5 J x 16	X	X				1
Bumper step, rear, Grey	X	X	X	X	X	Mounting rails for roof rack	X	X	X	X	X	Loadable wheel arch	X	X			П	1
Bumper step, rear, spring-loaded**†	X		l X			Opening limiter, electrically operated sliding door	X	I X	X	l X	ΙX	M+S winter tires	ΙX	l X	X		X	
Deletion of "model" badge, right rear door	X	X	X	X	X	Painted metallic front & rear bumper	X	X	X	X	X	Rims painted Arctic White	X	X	X	X	X	1
Deletion of Sprinter badge, left rear door	X	X	X	X	X	Primed side moldings	X	X	X	X	X	Rims painted Jet Black	X	X	X		X	
Elec. closing assist left sliding door (soft close)	X	X	X	X	X	Sliding door, driver side	X	X	X	X	X	Spare tire carrier deletion	X	X	X	X	X	1
Elec. closing assist right sliding door (soft close)	X	X	X	X	X	Sliding door, right-side deletion	X	X	X	X	X	Spare wheel deletion	X	X	X	X	X	1
Electric sliding door right	X	X	X	X	X	Sliding door, two-stage opening	X	X	X	X	X	Steel wheels: 8.5 J x16 Rr; 6.5 J x16 Fr (Super Single)			X	X		1
Electric sliding step	X	X	X	X	X	Step, wide, at rear end	X	X	X	X	X	Tire Brand Continental	X	X	X	X	X	1
Electrically folding exterior mirrors	X	X	X			Trailer crossmember 7,500-lb. capacity			X	X	X	Tire Brand Kumho	X	X	X	X	X	1
Fixed window center left	X	X	X	X	X	Trailer hitch, 5,000 lbs. (available only for 170"	V	V	X	V	V	Tire Brand Michelin*	X	X	X	X	X	i
Fixed window center right	X	X	X	X	X	EXT on 3500, 3500XD & 4500 models)	^	^	^	^	١^	Wheel chocks	X	X	X	X	X	1
Half-sided step rear (for trailer hitch)	X	X	X	X	X	Windows in rear doors	X	X	X	X	X	Wheelhouse covering	X	X	X	X	X	1
																		Ī

SAFETY & SECURITY						OPTIONAL PACKAGES								OPTIONAL PACKAGES (CONTINUED)						
 Active Distance Assist DISTRONIC^{®5} 	X	X	X	X	X	Bench Seat Package	X	Т	XΙ	Χ	X	\mathbf{T}	X	Driver Convenience Package	ΧŢ	Χ	X	\mathbf{L}	$\langle T \rangle$	П
Blind Spot Assist ³	X	X	Х	X	X	Cargo Convenience Package	X		X	Χ	X		X	Exterior Lighting Package	X	Χ	Х			
Emergency flashlight	X	X	X	X	X	Cargo Protection Package	X	Т	ΧI	Χ	X		X	Heavy-Duty-Cargo Protection Package	ΧŢ	Χ	X		$\langle \rangle$	
First-aid kit	X	X	X	X	X	Chrome Grille Package	X	Т	XΙ	Χ	X		X	Premium Package	ΧŢ	Χ	X		$\langle \rangle$	
Fog lamp with cornering light function	X	X	X	X	X	Comfort Package	X	Т	ΧŢ	Χ	X		X	Premium Plus Package	ΧŢ	Χ	X		$\langle T \rangle$	
Parking Package	X	X	X	X	X	Comfort Package (seat addition)	X	Т	X	Χ	X		X	Swivel Seat Package	ΧŢ	Χ	X	Γ	$\langle \rangle$	П
Parking Package with 360° camera	X	X	X			Comfort Plus Package	X	Т	ΧŢ	Χ	X		X							
Security alarm with interior motion sensor	X	X	X	X	X	DISTRONIC® Addition Premium Package	X		ΧI	Χ	X		XΠ							

*Delayed availability on 3500, 3500XD, and 4500 models.

**Not available with gasoline engine.

Thot available with 4x4.

					I				ļ			
ADDITIONAL STANDARD FEATURES (CREW)		l	3500XD				0	3500 X D				2500 3500 3500XD
MECHANICAL	2500	3500	350	4500		2500	3500	25		4 200		3500
Aux. fuel sending unit with fuel tap	X	X	X	X	Front axle reinforced			Ė		χÌ	Stabilization Level II	XX
Axle ratio 3.923** Axle ratio 3.923**	X				Omission bulkhead	X	Χ	Х		X	Tire pressure monitoring lamp	X
Axle ratio 4.182 (standard on 2500 gas models only)	X	X	X	X	Stabilization Level I	X		_	_			
BEATING	Lv	Lv	Lv	Lv		_		_	_	_		LVLVLVL
Aisle-side armrest] X	ĮΧ	X	ΙX	Three-seater bench in passenger compartment, first row (narrow); includes ISOFIX	X	Χ	x		x∤	Wall-side armrest	X X X X
NTERIOR								_	_	_		
Assist handle, B-pillar	X	X	X	X	Interior lights, cargo compartment	X	Χ	X		X	Wheelhouse covering	XXXX
Black tinting (90%) for rear windows	X	X		X	Rear window defroster	X	Χ	X		ΧŢ	Windows in rear doors	X X X Z
Cupholders, front	X	X		X	Roof trim	X	Χ	X		X.		
Floor covering, plastic	X	X		ΙX	Storage compartment with net in rear doors	X	X	X		ΧÌ		
Half height load compartment trim	X	X	X	X	Warm/cool air duct to rear compartment	X	Χ	X	<u> </u>	X.J		
XTERIOR					TIRES & WHEELS	_						
2nd row, fixed window, driver side	X			X	5.5 J x 16 steel wheels		Χ	X		X		
2nd row, fixed window, passenger side	X	X		X	6.5 J x 16 steel wheels	X		1	,			
3rd brake light High roof	X	X		X	Dual rear wheel tires Spare wheel	X	X	X		X		
Laminated glass rear	X	X		X	Spare wheel Spare wheel bracket below frame	X	X	X		X X		
Rear doors, 180° opening	TX	Ιχ		Ϊ́χ	Tires LT 215/85 R16	1^	X	ĺ		χĦ		
Rear mudflaps	X	X		X	Tires LT 245/75 R16	X		ŕ	+			
Sliding door, passenger side	X	X	X	Х								
SAFETY & SECURITY Longitudinal member reinforcement	Tv	ΤV	Τv	ΙV	360° camera³ (rearview mirror display)	X	V	TV	71.	<u></u>		
MECHANICAL • Additional bar for driveshaft & exhaust extension	X 2500	3500		4500		X 2500	3500	2500YD	5	4 200	0 15 5 5 6 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 2 0 0 X X X (le
Additional battery for retrofit consumers,			1	X	Axle ratio 4.182 (standard on 2500 gas models) Cutoff relay for additional battery	^	Х	h	7	x	 Speed limitation, 65 mph (standard on 4500 mod Stabilization Level II 	X
co-driver seat base	X	X	X	X	Deactivation lamp monitoring failure	X	X			X	Suspension for comfort & load protection	X
Additional battery for retrofit consumers,	X	X	X	X	Electric parking brake	X			Ţ		Top speed limitation, 75 mph	X X X
engine compartment		_		ــــــــــــــــــــــــــــــــــــــ	Engine oil level display at cold start**	X	X	X		Х		
Additional DIN-slots ACM better 12V 05Ab 950A	X	X		X	Front axle reinforced (standard on 4500 model)** Percentage Special Module (DSM)	X	X	Ľ	\Box	Х		
AGM battery 12V 95Ah 850A Axle ratio 3.923**	X	X		X	Parametric Special Module (PSM) Rear spring vibration absorbers	 ↑	_	+^	+	4		
		17	17	1 //		17		_		_		
SEATING	Lie	1	1			1				_		
Artico Man-made Leather Black Fabric, Caluma Black	$\frac{X}{X}$	X	X X	X X	Heated driver seat Heated front passenger seat	X	X	НX		$X \mid$		
Tabric, Caluma Black		1^	1^	1^	Treated from passenger seat		^	1_^	\	^_		
NTERIOR												
12V power outlet, rear compartment	X			X	Heat insulation, rear compartment	X		X		-	Roof fan, electric	XXX
115V socket	X	X		X	Hinged lid for storage compartment	X	Χ	X		ΧĮ	Satellite radio	XXX
Acoustic Package	X				Illuminated front exits	X	Χ				Side-wall paneling waist height PVC	XXX
Assist handle, left rear door	X	X		X	Instrument cluster with color display	X	X			_	THERMOTRONIC automatic climate control	XXX
Assist handle, right rear door	X	X		X	Keys, two additional masters	X	X	X			Tray for smartphones incl. wireless charging	XXX
Cargo straps, D-rings ²⁵ Charging Parks and death and	X	X		X	Leather steering wheel	X	Χ	X		X	Wood floor with six D-rings ²⁵	XXX
Charging Package, dashboard	X	X		X	Loadable wheel arch Navigation	X	V	\	,			
Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger	X	X		X	Navigation Optional 3-button keys	X	X	$+\langle$	(:	${\mathbf{v}}$		
• Fuel-fired heater booster (17,000 BTU)**	<u>^</u>	 ^		^	Overhead storage slot, front center	^	X	ť		$\frac{2}{x}$		
• Fuel-fired heater/booster (17,000 BTU)**	$\frac{1}{X}$	Ιχ		Ιχ	Painted metallic front & rear bumper		X	Tx		χÌ		
Half-sided step, rear (for trailer hitch)	$\frac{1}{X}$			X	Rear cabin heater & vents	X	X	X		χĺ		
Heat insulation, front compartment		X		X	Rear heater prep	X	X	X		X		
EXTERIOR	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	I v	Lv	l v		IV.		١,	,	_	TIRES & WHEELS 285/65 R 16 C SUPER-SINGLE-TIRES (Super	
Bumper step, rear, Grey	X			X	Heated rear window(s) with washers/wipers	X		X		X	Single)	XX
Bumper step, rear, spring-loaded**†	X	X	V	V	Mounting rails for roof rack Opening limiter electrically operated sliding door	X	X	X			Light-alloy wheels 6.5 J x 16 M+S winter tires	X
Bumpers front/rear primed DEF fluid filler cap – lockable	X	X	X	X	Opening limiter, electrically operated sliding door Painted metallic front & rear bumper	X	X				M+S winter tires Rims painted Arctic White	X X X X X X
Deletion of "model" badge, right rear door	⊢ <u>^</u>	 ^		^	Primed side moldings	X	X	ĺχ			Rims painted Arctic write Rims painted Jet Black	X X X
Deletion of Sprinter badge, left rear door	X	X	X	X	Rear doors, opening to side-wall	X	Χ	X		Χİ	Spare tire carrier deletion	
	1 1/		1 1/	1 1/								
Elec. closing assist right sliding door (soft close) Electric sliding door right	X		X X	X X	Sliding door two-stage opening Step, wide, at rear end	X X	X				Spare wheel deletion Steel wheels: 8.5 J x16 Rr; 6.5 J x16 Fr (Super Single)	XXXX

EXTERIOR										TIRES & WHEELS					
Bumper step, rear, Grey	X	X	X	X	Heated rear window(s) with washers/wipers	X	X	X	X	285/65 R 16 C SUPER-SINGLE-TIRES (Super Single)		X	X	$\langle $	
Bumper step, rear, spring-loaded**†	X	X			Mounting rails for roof rack	X	X	X	X	Light-alloy wheels 6.5 J x 16	X				Ī
Bumpers front/rear primed	X	X	X	X	Opening limiter, electrically operated sliding door	X	X	X	X	M+S winter tires	X	X	X	(X	Ţ
DEF fluid filler cap – lockable	X	X	X	X	Painted metallic front & rear bumper	X	X	X	X	Rims painted Arctic White	X	X	X	$\langle x \rangle$	Ţ
Deletion of "model" badge, right rear door	X	X	X	X	Primed side moldings	X	X	X	X	Rims painted Jet Black	X	X	X	$\langle $	(
Deletion of Sprinter badge, left rear door	X	X	X	ΙX	Rear doors, opening to side-wall	X	X	X	X	Spare tire carrier deletion	X	X	\mathbf{X}	$\langle $	$\overline{}$
 Elec. closing assist right sliding door (soft close) 	X	X	X	X	Sliding door two-stage opening	X	X	X	X	Spare wheel deletion	X	X	X	(X	(
Electric sliding door right	X	X	X	X	Step, wide, at rear end	X	X	X	X	Steel wheels: 8.5 J x16 Rr; 6.5 J x16 Fr (Super Single)		X	X		
Electric sliding step	X	X	X	X	Trailer crossmember 7,500-lb. capacity		X	X	X	Tire Brand Continental	X	X	X	$\langle x \rangle$	Ţ
Electrically folding exterior mirrors	X	X	П	П	Trailer hitch, 5,000 lbs.	X				Tire Brand Michelin*	X	X	X	⟨ X	(
Electrically heated windshield	X	X	X	X						Tire Brand Kumho	X			(X	

CAFFTY & OFCUBITY						ORTIONAL RACKAGES					White thous
SAFETY & SECURITY						OPTIONAL PACKAGES					
 Active Distance Assist DISTRONIC^{®5} 	X	X	X	1)	(Chrome Grille Package	X	X	X	X	Premium Package
Backup alarm	X	X	X	\Box	\Box	Comfort Package	X	X	X	X	Premium Plus Package
Blind Spot Assist ³	X	X	X		7	Comfort Package (seat addition)	X	X	X	X	Swivel Seat Package
Emergency flashlight	X	X	X		$ \langle $	Comfort Plus Package	X	X	X	X	
First-aid kit	X	X	X	\Box	◁	Crew Van Comfort Package	X	X	X	X	1
Fog lamp with cornering light function	X	X	X	\Box	$ \langle $	DISTRONIC® Addition Premium Package	X	X	X	X]
Misfueling prevention for diesel	X	X	X	\Box	$ \langle $	Driver Convenience Package	X	X	X	X]
Parking Package	X	X	X			Exterior Lighting Package	X	X	X	X	1
Parking Package with 360° camera	X	X	Г	Т	П	Interior Trim Upgrade Package	X	X	X	X	1
Security alarm with interior motion sensor	X	X	X	\Box		Fo	raco	nmn	lete	listir	ng of features included in each package, build your
					_	10		JIP	.020		.6 or reactive morates in each package, balla your

SPRINTER CARGO



TECHNICAL SPECIFICATIONS: 1500 CARGO, 2500, & 3500

TECHNICAL SPECIFIC		500				2500)							3500			
Tires Wheelbase		ngle 44"		1./	14"	Single	e 170	\"	170	" EXT	1/	Dual Re	ar Wheel	170" EXT	144"	Super Singl	e 170" EX
Engine	Gas	Gas	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain Roof height	4x2 Standard	4x2 High Roof	4x2 Standard	4x4 Standard	4x2 High Roof	4x4	4x2 High Roof	4x4 High Roof	4x2 High Roof	4x4 High Roof	4x2 Standard	4x2 High Roof	4x2 High Roof	4x2	4x2 High Roof	4x2	4x2
Passenger capacity	Roof 2-3	2-3	Roof 2-3	Roof 2-3	2-3	High Roof	2-3	2-3	2-3	2-3	Roof 2-3	2-3	2-3	High Roof	2-3	High Roof	High Roo
Rows of seats	One	One	One	One	One	One	One	One	One	One	One	One	One	One	One	One	One
EXTERIOR						I											
Length	233.5"	233.5"	233.5"	233.5"	233.5"	233.5"	274.3"	274.3"	290.0"	290.0"	233.5"	233.5"	274.3"	290.0"	233.5"	274.3"	290.0'
Height	96.3"	107.5"	96.3"	100.1"	107.5"	111.3"	107.3"	110.9"	107.0"	110.5"	96.4"	109.1"	108.7"	108.4"	109.4"	109.1"	108.7'
Width – excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width - including mirrors	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	95.5"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"
Tire track front	67.2"	67.2"	67.2"	67.8"	67.2"	67.8"	67.2"	67.8"	67.2"	67.8"	66.5"	66.5"	66.5"	66.5"	67.2"	67.2"	67.2"
			68.2"					68.2"					60.7"	60.7"		65.2"	
Tire track rear	68.2"	68.2"		68.2"	68.2"	68.2"	68.2"		68.2"	68.2"	60.7"	60.7"			65.2"		65.2"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
(rear axle to end of frame)	49.1"	49.1"	49.1"	49.1"	49.1"	49.1"	63.8"	63.8"	79.6"	79.6"	49.1"	49.1"	63.8"	79.6"	49.1"	63.8"	79.6"
Load height, unloaded (ground to cargo floor)	27.5"	27.4"	27.7"	31.5"	27.6"	31.4"	27.5" G 27.4" D	31.1"	27.2"	30.6"	TBD	28.5"	28.1"	27.7"	29.5"	29.2"	28.9"
Load height, loaded (ground to cargo floor)	23.3"	23.3"	23.4" G 23.3" D	26.8"	23.4" G 23.3" D	26.8"	23.4"	26.8"	23.5"	26.8"	TBD	23.2"	23.2"	23.3"	25.1"	25.2"	25.4"
Side-door opening height	59.8"	71.6"	59.8"	59.8"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	59.8"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"
Side-door opening	51.0"	49.6"	51.0"	51.0"	49.6"	49.6"	51.0"	51.0"	51.1"	51.0"	49.3"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"
width - sliding Rear cargo door	61.0"	72.7"	61.0"	61.0"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	61.0"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"
opening height Rear cargo door																	
opening width	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	60.7"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"
Turning radius (curb-to-curb)	40.7'	40.7'	40.7'	43.3'	40.7'	43.3'	47.2'	50.2'	47.2'	50.2'	45.3'	45.3'	52.5'	52.5'	45.3'	52.5'	52.5'
Ground to first step-side	20.9"	20.8"	20.9"	24.8"	20.8"	24.7"	20.4"	24.2"	20.4"	24.1"	21.6"	21.6"	20.9"	20.8"	21.4"	20.7"	20.6"
INTERIOR	1	1	I	1	l	1	I	1		1	1		1			1	
Headroom (1st row)	47.3"	56.4"	47.3"	47.3"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	47.3"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length,	132.9"	132.9"	132.9"	132.9"	132.9"	132.9"	173.6"	173.6"	189.4"	189.4"	103.5"	132.9"	173.6"	189.4"	132.9"	173.6"	189.4'
Cargo length,																	
front (at belt)	128.8"	128.8"	128.8"	128.8"	128.8"	128.8"	169.6"	169.6"	185.3"	185.3"	93.1"	128.8"	169.6"	185.3"	128.8"	169.6"	185.3'
Cargo width between wheelhouses	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	38.5"	38.5"	38.5"	38.5"	48.4"	48.4"	48.4"
Cargo height, maximum (with trim)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo height, maximum	67.7"	79.1"	67.7"	67.7"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	64.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"
(without trim) Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	73.9"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"
Interior standing height	67.7"	79.1"	67.7"	67.7"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	65.3"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"
CARGO CAPACITY						I											
Cargo volume (behind last row of seats)	319.0 cu. ft.	374.3 cu. ft.	319.0 cu. ft.	319.0 cu. ft.	374.3 cu. ft.	374.3 cu. ft.	488.1 cu. ft.	488.1 cu. ft.	532.6 cu. ft.	532.6 cu. ft.	222.5 cu. ft.	328.5 cu. ft.	430.1 cu. ft.	469.4 cu. ft.	358.4 cu. ft.	469.2 cu. ft.	512.1 cu.
Maximum roof load	660 lbs.	330 lbs.	660 lbs.	660 lbs.	330 lbs.	330 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs.	660 lbs.	300 lb					
Maximum available GCWR	13,550 lbs.	13,550 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	15,250 lbs.	15,250					
MAXIMUM CAPABILITIES			4.446.11		10/5"		400.0										
Maximum payload	3,942 lbs.	3,865 lbs.	4,442 lbs. G 4,244 lbs. (4-cyl) 4,189 lbs. (6-cyl)	3,825 lbs.	4,365 lbs. G 4,167 lbs. (4-cyl) 4,112 lbs. (6-cyl)	3,748 lbs.	4,034 lbs. G 3,863 lbs. (4-cyl) 3,781 lbs. (6-cyl)	3,417 lbs.	3,726 lbs. (4-cyl) 3,671 lbs. (6-cyl)	3.318 lbs.	4,620 lbs. (4-cyl) 4,565 lbs. (6-cyl)	4,543 lbs. (4-cyl) 4,488 lbs. (6-cyl)	4,190 lbs. (4-cyl) 4,135 lbs. (6-cyl)	4,113 lbs. (4-cyl) 4,058 lbs. (6-cyl)	4,554 lbs. (4-cyl) 4,488 lbs. (6-cyl)	4,201 lbs. (4-cyl) 4,135 lbs. (6-cyl)	4,124 lb (4-cyl) 4,069 lb (6-cyl)
Maximum towing ²⁶	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lb
GVWR	8,550 lbs.	8,550 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs	9,050 lbs	.9,050 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lb
								1									

500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 750 lbs.

SPRINTER CARGO



						3500XD							45	500	
Tires				Dual Rea	ar Wheel					Super Single			Dual Re		
Vheelbase		1-	44"		17	'0"	170	" EXT	144"	170"	170" EXT	14	14"	170"	170" EXT
Engine Drivetrain	Diesel 4x2	Diesel 4x4	Diesel 4x2	Diesel 4x4	Diesel 4x2	Diesel 4x4	Diesel 4x2	Diesel 4x4	Diesel 4x2						
Roof height	Standard Roof	Standard Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	Standard Roof	High Roof	High Roof	High Roof
Passenger capacity Rows of seats	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One
EXTERIOR															
Length	233.5"	233.5"	233.5"	233.5"	274.3"	274.3"	290.0"	290.0"	233.5"	274.3"	290.0"	233.5"	233.5"	274.3"	290.0"
Height	97.9"	100.1"	109.1"	111.2"	108.7"	110.9"	108.4"	110.6"	109.1"	109.1"	108.7"	97.8"	108.9"	108.5"	108.2"
Width – excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width – including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Tire track front	66.5"	66.8"	66.5"	66.8"	66.5"	66.8"	66.5"	66.8"	66.5"	67.2"	67.2"	66.0"	66.0"	66.0"	66.0"
Tire track rear	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	65.2"	65.2"	60.7"	60.7"	60.7"	60.7"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	49.1"	49.1"	49.1"	49.1"	63.8"	63.8"	79.6"	79.6"	49.1"	63.8"	79.6"	49.1"	49.1"	63.8"	79.6"
Load height, unloaded (ground to cargo floor)	29.3"	30.7"	29.2"	TBD	28.9"	30.3"	28.5"	29.8"	TBD	29.2"	28.9"	29.1"	TBD	28.7"	28.3"
Load height, loaded (ground to cargo floor)	24.5"	24.9"	24.5"	TBD	24.6"	24.8"	24.7"	24.7"	TBD	24.6"	24.8"	24.5"	TBD	24.6"	24.7"
Side-door opening height	59.8"	59.8"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	TBD	71.6"	71.6"	59.8"	71.6"	71.6"	71.6"
Side-door opening width – sliding	51.0"	51.0"	49.6"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"
Rear cargo door opening height	61.0"	61.0"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	61.0"	72.7"	72.7"	72.7"
Rear cargo door opening width	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"
Turning radius (curb-to-curb)	45.3'	43.3'	45.3'	43.3'	52.5'	50.2'	52.5'	50.2'	45.3'	52.5'	52.5'	45.3'	45.3'	52.5'	52.5'
Ground to first step-side	21.7"	24.8"	21.6"	TBD	20.9"	24.3"	20.8"	24.3"	TBD	20.8"	20.7"	21.8"	TBD	21.2"	21.1"
INTERIOR		'	,					,		,		'			
Headroom (1st row)	47.3"	47.3"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	47.3"	56.4"	56.4"	47.3"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	132.9"	132.9"	132.9"	132.9"	173.6"	173.6"	189.4"	189.4"	132.9"	173.6"	189.4"	132.9"	132.9"	173.6"	189.4"
Cargo length, front (at belt)	128.8"	128.8"	128.8"	128.8"	169.6"	169.6"	185.3"	185.3"	128.8"	169.6"	185.3"	128.8"	129.3"	169.6"	185.3"
Cargo width between wheelhouses	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	48.4"	48.4"	38.5"	38.5"	38.5"	38.5"
Cargo height, maximum (with trim)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo height, maximum (without trim)	67.7"	67.7"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	67.7"	67.7"	79.1"	79.1"
Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"
Interior standing height	67.7"	67.7"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	67.7"	79.1"	79.1"	79.1"
CARGO CAPACITY															
Cargo volume (behind last row of seats)	281.1 cu. ft.	281.1 cu. ft.	328.5 cu. ft.	328.5 cu. ft.	430.1 cu. ft.	430.1 cu. ft.	469.4 cu. ft.	469.4 cu. ft.	328.5 cu. ft.	469.2 cu. ft.	512.1 cu. ft.	281.1 cu. ft.	281.1 cu. ft.	430.1 cu. ft.	469.4 cu. fi
Maximum roof load	660 lbs.	660 lbs.	300 lbs. (4-cyl) 330 lbs. (6-cyl)	330 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs.	330 lbs.	300 lbs.	300 lbs.	660 lbs.	300 lbs.	300 lbs.	300 lbs.
Maximum available GCWR	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs
MAXIMUM CAPABILITIES															
	5,761 lbs.				5,331 lbs.		5,243 lbs.		5,695 lbs.	5,342 lbs.	5,254 lbs.	6,823 lbs.	6,823 lbs.	6,823 lbs.	6,823 lbs.
Maximum payload	(4-cyl) 5,706 lbs. (6-cyl)	5,419 lbs.	5,706 lbs.	5,320 lbs.	(4-cyl) 5,276 lbs. (6-cyl)	4,978 lbs.	(4-cyl) 5,188 lbs. (6-cyl)	4,901 lbs.	(4-cyl) 5,640 lbs. (6-cyl)	(4-cyl) 5,276 lbs. (6-cyl)	(4-cyl) 5,188 lbs. (6-cyl)	(4-cyl) 6,768 lbs. (6-cyl)	(4-cyl) 6,647 lbs. (6-cyl)	(4-cyl) 6,338 lbs. (6-cyl)	(4-cyl) 6,261 lbs. (6-cyl)
Maximum towing ²⁶	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	5,000 lbs.	5,000 lbs.	7,500 lbs.	7,500 lbs.	5,000 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.
GVWR	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	12,125 lbs.	12,125 lbs.	12,125 lbs.	12,125 lbs
	11,030 IDS.	1 1,030 IDS.	11,030 IDS.	11,030 IDS.	11,030 IDS.	11,030 IDS.	1 1,030 IDS.	11,030 IDS.	11,030 IDS.	1 1,030 IDS.	11,030 IDS.	12,120 IDS.	12,120 IDS.	12,120 IDS.	12,120 108
TWR (maximum loaded trailer weight ratings)	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.

SPRINTER CREW



TECHNICAL SPECIFICATIONS: 2500 & 3500

			250	00					3500		
Tires			Sing	gle				Dual Rear Wheel		Super	Single
Wheelbase		14	4"		170)"	14	4"	170"	144"	170"
Engine	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x2	4x2	4x2	4x2
Roof height	Standard Roof	Standard Roof	High Roof	High Roof	High Roof	High Roof	Standard Roof	High Roof	High Roof	High Roof	High Roof
Passenger capacity	5	5	5	5	5	5	5	5	5	5	5
Rows of seats	Two	Two	Two	Two	Two	Two	Two	Two	Two	Two	Two
EXTERIOR											

EXTERIOR											
Length	233.5"	233.5"	233.5"	233.5"	274.3"	274.3"	233.5"	233.5"	274.3"	233.5"	274.3"
Height	96.3"	100.1"	107.5"	111.3"	107.3"	111.3"	96.4"	109.1"	108.7"	109.4"	109.1"
Width - excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width - including mirrors	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	95.5"	92.3"	92.3"	92.3"	92.3"
Tire track front	67.2"	67.8"	67.2"	67.8"	67.2"	67.8"	66.5"	66.5"	66.5"	67.2"	67.2"
Tire track rear	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	60.7"	60.7"	60.7"	65.2"	65.2"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	49.1"	49.1"	49.1"	49.1"	63.8"	63.8"	49.1"	49.1"	63.8"	49.1"	63.8"
Load height, unloaded	27.5" G	31.5"	27.4" G	31.4"	27.3"G	31.1"	TBD	28.5"	28.1"	28.5"	28.1"
(ground to cargo floor)	27.7" D	31.5	27.6" D	31.4"	27.4"D	31.1"	IBD	28.5"	28.1"	28.5"	28.1"
Load height, loaded (ground to cargo floor)	23.3"	26.8"	23.3"	26.8"	23.4"	26.8"	TBD	23.2"	23.2"	23.2"	23.2"
Side-door opening height	59.8"	59.8"	71.6"	71.6"	71.6"	71.6"	59.8"	71.6"	71.6"	71.6"	71.6"
Side-door opening width – sliding	49.3"	49.3"	51.0"	51.0"	51.0"	51.0"	49.3"	51.0"	51.0"	51.0"	51.0"
Rear cargo door opening height	61.0"	61.0"	72.7"	72.7"	72.7"	72.7"	61.0"	72.7"	72.7"	72.7"	72.7"
Rear cargo door opening width	60.7"	60.7"	61.2"	61.2"	61.2"	61.2"	60.7"	61.2"	61.2"	61.2"	61.2"
Turning radius (curb-to-curb)	40.7'	43.3'	40.7'	43.3'	47.2'	50.2'	45.3'	45.3'	52.5'	45.3'	52.5'
Ground to first step-side	20.9"	24.8"	20.8"	24.7"	20.4"	24.2"	21.6"	21.6"	20.9"	21.6"	20.9"

INTERIOR

Headroom (1st row)	47.3"	47.3"	56.4"	56.4"	56.4"	56.4"	47.3"	56.4"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	103.5"	103.5"	103.5"	103.5"	144.3"	144.3"	103.5"	103.5"	144.3"	103.5"	144.3"
Cargo length, front (at belt)	93.1"	93.1"	93.1"	93.1"	133.9"	133.9"	93.1"	93.1"	133.9"	93.1"	133.9"
Cargo width between wheelhouses	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	38.5"	38.5"	38.5"	48.4"	48.4"
Cargo height, maximum (with trim)	64.1"	64.1"	75.5"	75.5"	75.5"	75.5"	64.1"	75.5"	75.5"	75.5"	75.5"
Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"
Interior standing height	65.3"	65.3"	76.7"	76.7"	76.7"	76.7"	65.3"	76.7"	76.7"	76.7"	76.7"

CARGO CAPACITY

Cargo volume (behind last row of seats)	222.5 cu. ft.	222.5 cu. ft.	261.3 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	370.8 cu. ft.	222.5 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	261.3 cu. ft.	370.8 cu. ft.
Maximum roof load	660 lbs.	660 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	660 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.
Maximum available GCWR	13,930 lbs.	15,250 lbs.									

MAXIMUM CAPABILITIES

	4,045 lbs. G		3,946 lbs. G		3,594 lbs. G		4 222 lbs (4 aul)	4 154 lba (4 aul)	2 770 lbo (4 oul)	4 147 lbo (4 oul)	2 70 1 lbo (4 out)
Maximum payload	3,847 lbs. (4-cyl) 3,770 lbs. (6-cyl)	3,428 lbs.	3,770 lbs. (4-cyl) 3,693 lbs. (6-cyl)	3,351 lbs.	3,406 lbs. (4-cyl) 3,329 lbs. (6-cyl)	2,998 lbs.		, , , , , ,	, , , , ,	4,167 lbs. (4-cyl) 4,112 lbs. (6-cyl)	, , , , ,
Maximum towing ²⁶	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.
GVWR	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.
TWR (maximum loaded trailer weight ratings)	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.

SPRINTER CREW



TECHNICAL SPECIFICATIONS: 3500XD & 4500

				35	500XD					4500	
Tires			Dual Rea	ar Wheel			Super	Single		Dual Rear Wheel	
Wheelbase		14	4"		170)"	144"	170"	14	4"	170"
Engine	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x2	4x2	4x2	4x2
Roof height	Standard Roof	Standard Roof	High Roof	Standard Roof	High Roof	High Roof					
Passenger capacity	5	5	5	5	5	5	5	5	5	5	5
Rows of seats	Two	Two	Two	Two	Two	Two	Two	Two	Two	Two	Two

EXTERIOR											
Length	233.5"	233.5"	233.5"	233.5"	274.3"	274.3"	233.5"	274.3"	233.5"	233.5"	274.3"
Height	97.9"	100.1"	109.1"	111.2"	108.7"	110.9"	109.4"	109.1"	97.8"	108.9"	108.5"
Width – excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width – including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Tire track front	66.5"	66.5"	66.5"	66.8"	66.5"	66.8"	67.2"	67.2"	66.0"	66.0"	66.0"
Tire track rear	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	65.2"	65.2"	60.7"	60.7"	60.7"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	49.1"	49.1"	49.1"	49.1"	63.8"	63.8"	49.1"	63.8"	49.1"	49.1"	63.8"
Load height, unloaded (ground to cargo floor)	29.3"	30.7"	29.2"	30.6"	28.9"	30.3"	29.2"	28.9"	29.1"	29.0"	28.7"
Load height, loaded (ground to cargo floor)	24.5"	24.9"	24.5"	24.9"	24.6"	24.8"	24.5"	24.6"	24.5"	24.5"	24.6"
Side-door opening height	59.8"	59.8"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	59.8"	71.6"	71.6"
Side-door opening width – sliding	49.3"	49.3"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	49.3"	51.0"	51.0"
Rear cargo door opening height	61.0"	61.0"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	61.0"	72.7"	72.7"
Rear cargo door opening width	60.7"	60.7"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	60.7"	61.2"	61.2"
Turning radius (curb-to-curb)	45.3'	43.3'	45.3'	43.3'	52.5'	50.2'	45.3'	52.5'	45.3'	45.3'	52.5'

INTERIOR											
Headroom (1st row)	47.3"	47.3"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	47.3"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	103.5"	103.5"	103.5"	103.5"	144.3"	144.3"	103.5"	144.3"	103.5"	103.5"	144.3"
Cargo length, front (at belt)	93.1"	93.1"	93.1"	93.1"	133.9"	133.9"	93.1"	133.9"	93.1"	93.1"	133.9"
Cargo width between wheelhouses	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	48.4"	48.4"	38.5"	38.5"	38.5"
Cargo height, maximum (with trim)	64.1"	64.1"	75.5"	75.5"	75.5"	75.5"	75.5"	75.5"	64.1"	75.5"	75.5"
Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"
Interior standing height	65.3"	65.3"	76.7"	76.7"	76.7"	76.7"	76.7"	76.7"	65.3"	76.7"	76.7"

21.6"

20.8"

20.8"

21.8"

20.9"

CARGO CAPACITY											
Cargo volume (behind last row of seats)	222.5 cu. ft.	222.5 cu. ft.	261.3 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	370.8 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	222.5 cu. ft.	261.3 cu. ft.	370.8 cu. ft.
Maximum roof load	660 lbs.	660 lbs.	330 lbs.	660 lbs.	330 lbs.	330 lbs.					
Maximum available GCWR	15,250 lbs.										

MAYIMIIM	CAPARII	ITIES

Ground to first step-side

21.7"

24.8" 21.6"

Mandanina	5,375 lbs. (4-cyl)	5.022 lbs.	5,298 lbs. (4-cyl)	4.045 lb-	4,912 lbs. (4-cyl)	4.559 lbs.	5,309 lbs. (4-cyl)	4,923 lbs. (4-cyl)	6,437 lbs. (4-cyl)	6,360 lbs. (4-cyl)	5,975 lbs. (4-cyl)
Maximum payload	5,320 lbs. (6-cyl)	5,022 108.	5,243 lbs. (6-cyl)	4,945 lbs.	4,857 lbs. (6-cyl)	4,559 IDS.	5,254 lbs. (6-cyl)	4,868 lbs. (6-cyl)	6,382 lbs. (6-cyl)	6,305 lbs. (6-cyl)	5,919 lbs. (6-cyl)
Maximum towing ²⁶	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.						
GVWR	11,030 lbs.	11,030 lbs.	12,125 lbs.	12,125 lbs.	12,125 lbs.						
TWR (maximum loaded trailer weight ratings)	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.						

SPRINTER PASSENGER



(PASSENGER)	1500	2500		1500	2500		1500	2500
MECHANICAL Additional bar for driveshaft & exhaust extension	-			-	X	Cuanancian for comfort 9 load protection		X
Additional bar for driveshalt & exhaust extension Axle ratio 3.923*	+^	†â	Front axle reinforced (standard on 2500 170" WB models only) Rear spring vibration absorbers	+	†â	Suspension for comfort & load protection Tire pressure monitoring lamp	\^ X	X
Axle ratio 4.182 (standard on 2500 gas models only)	İχ		Stabilization Level I	X		- The process manner of the process		
SEATING	1			,		_		
Aisle-side armrest	Тх	X	Storage net, driver seat backrest	X	X	Three-seater bench in passenger compartment,	$\neg \neg$	
Four-seater bench in passenger compartment, third row**		Τ̈́	Storage net, passenger seat backrest	1 X		second row (narrow)		Х
Four-seater bench in passenger compartment, fourth row***	1	X		1	T	Three-seater bench in passenger compartment,	Х	Х
	,		first row (narrow); includes ISOFIX		X	third row (narrow)***		
Luxury interior trim with USB-sockets] X	X	<u> </u>		_	Wall-side armrest Window pillar trim	X	X
						- Willdow pillar triffi		
INTERIOR	TV	ΙX	Front-to-rear outlet in instrument panel	X	ΙX	Rear window defroster	X	Х
12V power outlet, rear compartment Air conditioning rear, roof-mounted		†â		+^	Ϊ́χ		X	X
Assist handle, B-pillar			Heat insulation, front compartment	T _X			X	X
Audio systems speakers, 5 front, 8 rear	X			X	X		X	Χ
Coat hooks in passenger compartment	X	X	Hinged lid for storage compartment	X	X	Weight-optimized plastic floor	IXI	X
Cupholders, Front	X			X			X	Χ
FMVSS 217 emergency exit	X	X	Rear cabin heater & vents	X	X			
EXTERIOR						TIRES & WHEELS		
2nd row, fixed window, passenger side	X	X	High roof	X	ΤX		X	Χ
3rd brake light	X			X			X	X
Black tinting (90%) for rear windows		X	Rear doors 180° opening	Х	X	Spare wheel bracket below frame	X	l X
Fixed window, center left***		X		Х	X		X	X
Fixed window, center right***	1	X		X			X	X
Fixed window, rear left	X			X				
Fixed window, rear right	X	X	Windows in rear doors	X	X	J		
SAFETY & SECURITY	1	1				7		
Longitudinal member reinforcement	X	X	360° camera³ (rearview mirror display)	X	X			
	L	L	1		П	I .	1.1	
ORTIONAL FEATURES (RASSENCER)	_				_			_
OPTIONAL FEATURES (PASSENGER)	1500	2500		1500	2500		1500	2500
MECHANICAL	_	_			_			
Additional battery for retrofit consumers, co-driver seat base**	X	X	Deactivation lamp monitoring failure	X	X	Speed limitation, 65 mph	X	Χ
 Additional battery for retrofit consumers, engine compartment** 	Ιx	x	Electric parking brake	X	X	Top speed limitation, 75 mph	X	X
Additional DIN-slots	X	_	Engine oil level display at cold start* Fuel gauge, optimized for aux. fuel tap*	-	X	-		
Axid ratio 4.182 (standard on 1500 & 2500 gas models)	+^	†â	Misfueling prevention for diesel	+	†â	-		
Cutoff relay for additional battery	ĺχ	Τ̈́	Parametric Special Module (PSM)	Ηx		-		
	1				1	1		
	Ιv	Ιv		Ιv	Ιv	1		
Artico Man-made Leather Black		X	Heated driver seat Heated front passenger seat	X	X			
Artico Man-made Leather Black Fabric, Caluma Black	X		Heated driver seat Heated front passenger seat	X	X			
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR	X	X	Heated front passenger seat	X	X		Lvi	V
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket	X	X X	Heated front passenger seat Electrically folding exterior mirrors	X	X X		X	X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package	X X	X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield	X	X X	Rear doors, opening to side-wall	X	Х
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door	X X X	X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)*	X X	X X X	Rear doors, opening to side-wall Rear heater prep	X	Х
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door	X X X X	X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display	X X X	X X X	Rear doors, opening to side-wall Rear heater prep Satellite radio	X X X	X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard	X X X X X	X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters	X X X	X X X X	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control	X X X	X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front	X X X X X	X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters	X X X X	X X X X X	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging	X X X	X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard	X X X X X	X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel	X X X X X	X X X X	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging	X X X	X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard	X X X X X	X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation	X X X X X	X X X X X	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging	X X X	X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4)	X X X X X	X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation	X X X X X	X X X X X	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging	X X X X	X X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR	X X X X X X	X X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation Optional 3-button keys Heated rear window(s) with washers/wipers	X X X X X X	X X X X X X X X	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16	X X X X X	X X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey	X X X X X X X	X X X X X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation Optional 3-button keys Heated rear window(s) with washers/wipers Mounting rails for roof rack	X X X X X X X	X X X X X X X X X	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires	X X X X X	X X X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable	X X X X X X X X X	X X X X X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation Optional 3-button keys Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door	X X X X X X X X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White	X X X X X	X X X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation Optional 3-button keys Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper	X X X X X X X X X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black	X X X X X	X X X X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door	X	X X X X X X X X X X X X X X X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation Optional 3-button keys Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings	X	X X X X X X X X X X	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion	X	X X X X X X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close)	X	X X X X X X X X X X X X X X X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation Optional 3-button keys Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening	X	X X X X X X X X X X	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion	X	X X X X X X X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door	X	X X X X X X X X X X X X X X X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation Optional 3-button keys Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings	X	X X X X X X X X X X	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+5 winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental	X	X X X X X X X X X X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close)	X	X X X X X X X X X X X X X X X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation Optional 3-button keys Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening	X	X X X X X X X X X X	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+5 winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Tire Brand Continental Tire Brand Kumho	X	X X X X X X X X X X X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch)	X	X X X X X X X X X X X X X X X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation Optional 3-button keys Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening	X	X X X X X X X X X X	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+5 winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental	X	X X X X X X X X X X X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch)	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation Optional 3-button keys Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs.	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin	X	X X X X X X X X X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC®5	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation Optional 3-button keys Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs.	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin	X	X X X X X X X X X X X X X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey Def fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC*5	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation Optional 3-button keys Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs.	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package Parking Package Parking Package with 360° camera	X	X X X X X X X X X X X X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey Def fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC* Backup alarm Blind Spot Assist	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation Optional 3-button keys Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs. Emergency flashlight First-aid kit	X	X X X X X X X X X X X X X X X X X X X	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package Parking Package Parking Package with 360° camera	X	X X X X X X X X X X X X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC®5 Backup alarm Blind Spot Assist OPTIONAL PACKAGES	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation Optional 3-button keys Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs. Emergency flashlight First-aid kit Fog lamp with cornering light function	X	X X X X X X X X X X X X X X X X X X X	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Jire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package Parking Package Parking Package with 360° camera Security alarm with interior motion sensor	X	X X X X X X X X X X X X X X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC®5 Backup alarm Blind Spot Assist OPTIONAL PACKAGES Chrome Grille Package	X	X X X X X X X X X X X X X X X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation Optional 3-button keys Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs. Emergency flashlight First-aid kit Fog lamp with cornering light function	X	X	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+5 winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package Parking Package Parking Package with 360° camera Security alarm with interior motion sensor	X	X X X X X X X X X X X X X X X X X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC®5 Backup alarm Blind Spot Assist OPTIONAL PACKAGES Comfort Package Comfort Package	X	X X X X X X X X X X X X X X X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation Optional 3-button keys Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs. Emergency flashlight First-aid kit Fog lamp with cornering light function Driver Convenience Package Exterior Lighting Package	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+5 winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package Parking Package Parking Package Rear Comfort Package Rear Comfort Package Rear Comfort Package Rear Comfort Package	X	X X X X X X X X X X X X X X X X X
Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC®5 Backup alarm Blind Spot Assist OPTIONAL PACKAGES Chrome Grille Package	X	X X X X X X X X X X X X X X X X X X X	Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Navigation Optional 3-button keys Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs. Emergency flashlight First-aid kit Fog lamp with cornering light function Driver Convenience Package Exterior Lighting Package High-Performance Rear Air Conditioning Package	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package Parking Package Parking Package Parking Package Premium Plus Package Rear Comfort Package Rear Comfort Package	X	X X X X X X X X X X X X X X X X X

SPRINTER PASSENGER



	15	00			2500		
Tires	Sin	gle			Single		
Vheelbase	14	4"			144"		170"
Engine	Gas	Gas	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Diesel
Drivetrain	4x2	4x2	4x2	4x4	4x2	4x4	4x2
Roof height	Standard Roof	High Roof	Standard Roof	Standard Roof	High Roof	High Roof	High Roof
Passenger capacity Rows of seats	12 Four	12 Four	12 Four	12 Four	12 Four	12 Four	15 Five
<u> </u>	1 001	1001	1001	1 oui	1 oui	1 001	1100
EXTERIOR							
Length	233.5"	233.5"	233.5"	233.5"	233.5"	233.5"	274.3"
Height	TBD	114.2"	TBD	TBD	114.2"	117.6"	113.5"
Width - excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width - including mirrors	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"
Tire track front	67.2"	67.2"	67.2"	67.8"	67.2"	67.8"	67.2"
Tire track rear	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	49.1"	49.1"	49.1"	49.1"	49.1"	49.1"	63.8"
					27.2" G		
Load height, unloaded (ground to cargo floor)	TBD	27.2"	TBD	TBD	27.4" D	30.7"	26.3"
Load height, loaded	TBD	22.01	TDD	TBD		27.28	23.9"
(ground to cargo floor)		23.8"	TBD		23.8"	27.2"	
Side-door opening height	TBD	71.6"	TBD	TBD	71.6"	71.6"	71.6"
Side-door opening width – sliding	51.1"	51.0"	51.1"	51.0"	51.1"	51.0"	51.0"
Rear cargo door opening height	TBD	72.7"	TBD	TBD	72.7"	72.7"	72.7"
Rear cargo door opening width	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"
Turning radius (curb-to-curb)	40.7'	40.7'	40.7'	43.3'	40.7'	43.3'	47.2'
Ground to first step-side	20.5"	20.5"	20.5"	24.2"	20.5"	24.2"	20.0"
INTERIOR							
Headroom (1st row)	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	35.9"	35.9"	35.9"	35.9"	35.9"	35.9"	48.4"
Cargo length, front (at belt)	25.6"	25.6"	25.6"	25.6"	25.6"	25.6"	37.9"
Cargo width between wheelhouses	53.0"	53.0"	53.0"	53.0"	53.0"	53.0"	53.0"
Cargo height, maximum	TBD	TBD	TBD	TBD	TBD	TBD	TBD
(with trim)							
Maximum floor width	69.8"	69.8"	69.8"	69.8"	69.8"	69.8"	69.8"
Interior standing height	TBD	75.5"	TBD	TBD	75.5"	75.5"	75.5"
CARGO CAPACITY							
Cargo volume (behind last row of seats)	78.6 cu. ft.	78.6 cu. ft.	78.6 cu. ft.	78.6 cu. ft.	78.6 cu. ft.	78.6 cu. ft.	111.2 cu. ft.
Maximum roof load	243 lbs.	243 lbs.	243 lbs.	243 lbs.	243 lbs.	243 lbs.	243 lbs.
Maximum available GCWR	13,930 lbs.	13,550 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	9,480 lbs.
MAXIMUM CAPABILITIES							
			3,494 lbs. G		3,417 lbs. G		3,087 lbs. (4-c)
Maximum payload	3,494 lbs.	2,917 lbs.	3 274 lbs (4-cvl) D	2,954 lbs.	3 197 lbs (4-cvl)	2,877 lbs.	3,007 lbs. (4-c)

			3,494 lbs. G		3,417 lbs. G		3,087 lbs. (4-cyl)	
Maximum payload	3,494 lbs.	2,917 lbs.	3,274 lbs. (4-cyl) D 3,219 lbs. (6-cyl) D	2,954 lbs.	3,197 lbs. (4-cyl) D 3,142 lbs. (6-cyl) D	2,877 lbs.	3,031 lbs. (6-cyl)	
Maximum towing ²⁶	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	0 lbs.	
GVWR	9,050 lbs.	8,550 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,480 lbs.	
TWR (maximum loaded trailer weight ratings)	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	

SPRINTER CAB CHASSIS/CUTAWAY



ADDITIONAL STANDARD FEATURES (CAB CHASSIS/CUTAWAY)	00XD	00		00XD	8		3500XD	8
MECHANICAL	35	45		35	45		35	45
Aux. fuel sending unit with fuel tap	X	X	Deactivation lamp monitoring failure	X	X	Front axle reinforced		X
Axle ratio 4.182	X	Х	Deletion of end crossmember	X	X	Stabilization Level II	X	X
EXTERIOR			TIRES & WHEELS			SAFETY & SECURITY		
Clearance lights pre-wiring	X	X	5.5 J x 16 steel wheels	X	X	Longitudinal member reinforcement	X	X
Exterior mirror extended (96")	X	X	Dual rear wheel tires	X	X			
Identification lamps	X	X	Provisional spare wheel bracket frame mounted	X	X			
			Spare wheel	X	X			
			Tires LT 215/85 R16	X	ĺχ			

OPTIONAL FEATURES (CAB CHASSIS/CUTAWAY)

MECHANICAL								
Additional battery for retrofit consumers, co-driver seat base	X	X	Cutoff relay for additional battery	X	X	Speed limitation, 65 mph (standard on 4500 model)	X	
Additional battery for retrofit consumers,	X	V	End crossmember bolted	X	X	Top speed limitation, 75 mph	X	
engine compartment	^	<u> </u> ^	Engine oil level display at cold start	X	X	Trailer crossmember 7,500 lbs. capacity	X	X
Additional DIN-slots	X	X	Front axle reinforced (standard on 4500 model)	X				
AGM battery 12V 95Ah 850A	X	X	Fuel gauge, optimized for aux. fuel tap	X	X			
Axle ratio 3.923	X	X	Parametric Special Module (PSM)	X	X			
SEATING						_		
Artico Man-made Leather Black	X	X	Heated driver seat	X	X			
Fabric, Caluma Black	X	X	Heated front passenger seat	X	X			

INTERIOR									
115V socket	X	X	Fuel-fired pre-heater/booster (17,000 BTU)	X	X	Rear heater prep	X	X	П
Acoustic Package	X	X	Heat insulation, front compartment	X	X	Rear wall deletion - Cab Chassis	X	X	П
Cab rear wall liner	X	X	Hinged lid for storage compartment	X	X	Satellite radio		1 ^	
Charging Package, dashboard	X	X	Illuminated front exits	X	X	THERMOTRONIC automatic climate control	X	X	
Cigarette lighter & ash cup, front	X	X	Instrument cluster with color display	X	X	Tray for smartphones incl. wireless charging	X	X	
Door-mounted assist handle, driver & passenger	X	X	Keys, two additional masters	X	X	Window in cab rear wall	X	X	П
Electrical pre-installation for load compartment lighting	X	X	Leather steering wheel	X	X				
Electrically heated windshield*	X	X	Navigation	X	X				
Fuel-fired heater booster (17,000 BTU)	X	X	Overhead storage slot, front center	X	X				

	1/1//	1	- / \		J		
EXTERIOR					TIRES & WHEELS (CONTINUED)		
Bumpers/detachable body parts painted body color	XX	Wire harness tail lamp with extended wiring	X	X	Spare tire carrier deletion		X
Bumpers front/rear primed	XX	Wiring for additional turn signals	X	Х	Spare wheel deletion	X	X
DEF fluid filler cap – lockable	XX	TIRES & WHEELS			Steel wheels: 8.5 J x16 Rr; 6.5 J x16 Fr (Super Single)	X	
Deletion of "model" badge, right rear door	XX	285/65 R 16 C SUPER-SINGLE-TIRES (Super Single)	X		Tire Brand Continental	X	X X
Primed side moldings	XX	M+S winter tires	X	Χ	Tire Brand Michelin*		
Tail lamp deletion	XX	Rims painted Arctic White	X	Χ	Wheel chocks	X	X
Third brake light pre-wiring	XX	Rims painted Jet Black	X	Χ			

SAFETY & SECURITY								
Active Distance Assist DISTRONIC®5	X	X	First-aid kit	X	X	Pre-wiring rearview camera (head unit display)	X	X
Backup alarm	Χ	X	Fog lamp with cornering light function	X	X	Pre-wiring rearview camera (rearview mirror display)	X	
Emergency flashlight	Х	X	Misfueling prevention for diesel	X	X	Security alarm with interior motion sensor	X	X

			1 01				1
OPTIONAL PACKAGES							
Bench Seat Package	X	X	Comfort Plus Package	X	X	Premium Package	XX
Chrome Grille Package	X	X	DISTRONIC® Addition Premium Package	Х	X	Premium Plus Package	XX
Comfort Package	X	X	Driver Convenience Package	X	X	Swivel Seat Package	XX
Comfort Package (seat addition)	X	X	Exterior Lighting Package	Х	X		

For a complete listing of features included in each package, build your van at MBVans.com

TECHNICAL SPECIFICATIONS: 3500XD & 4500

		350	4500			
Tires	Dual Rear Wheel		Super Single		Dual Rear Wheel	
Wheelbase	144"	170"	144"	170"	144"	170"
Engine	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2	4x2	4x2	4x2	4x2	4x2
Passenger capacity	2-3	2-3	2-3	2-3	2-3	2-3
Rows of seats	One	One	One	One	One	One

Length	245.9"	273.5"	245.9"	273.5"	245.9"	273.5"
Height	94.1"	93.7"	93.9"	93.5"	94.4"	94.0"
Width – excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width – including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Front track	66.3"	66.3"	67.2"	67.2"	66.3"	66.3"
Rear track	60.7"	60.7"	65.2"	65.2"	60.7"	60.7"
Front overhang	15.8"	15.8"	15.8"	15.8"	15.8"	15.8"
Rear overhang (rear axle to end of frame)	61.4"	63.0"	61.4"	63.0"	61.4"	63.0"
Turning diameter (curb-to-curb)	45.3'	52.5'	45.3'	52.5'	45.3'	52.5'
Cab length	99.4"	99.4"	99.4"	99.4"	99.4"	99.4"
Top of frame to top of cab	64.4"	64.4"	64.4"	64.4"	64.4"	64.4"
Frame height, loaded	27.0"	27.0"	26.9"	26.9"	26.9"	26.9"

TECHNICAL SPECIF	ICATIONS: 35	00XD & 450	0			
		350	4500			
Tires	Dual Re	ar Wheel	Super	Single	Dual Rea	ar Wheel
Wheelbase	144"	170"	144"	170"	144"	170"
Engines	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2	4x2	4x2	4x2	4x2	4x2
Passenger capacity	2-3	2-3	2-3	2-3	2-3	2-3
Rows of seats	One	One	One	One	One	One


INTERIOR			,			1
Headroom	47.3"	47.3"	47.3"	47.3"	47.3"	47.3"
Shoulder room	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"

CARGO CAPACITY						
Max. available GCWR	15,249 lbs.	15,249 lbs.	15,249 lbs.	15,249 lbs.	15,249 lbs.	15,249 lbs
MAYIMIIM CAPABILITIES						


MAXIMUM CAPABILITIES	3					
Maximum payload	6,411 lbs. (4-cyl) 6,356 lbs. (6-cyl)	6,323 lbs. (4-cyl) 6,268 lbs. (6-cyl)	6,422 lbs. (4-cyl) 6,367 lbs. (6-cyl)	6,334 lbs. (4-cyl) 6,279 lbs. (6-cyl)	7,484 lbs. (4-cyl) 7,429 lbs. (6-cyl)	7,396 lbs. (4-cyl) 7,341 lbs. (6-cyl)
Maximum towing ²⁶	7,500 lbs.					
GVWR	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	12,125 lbs.	12,125 lbs.
TWR (maximum loaded trailer weight ratings	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.

EXTERIOR & INTERIOR


EXTERIOR: NON-METALLIC




EXTERIOR: METALLIC











Blue Metallic





PREMIUM

INTERIOR



VF4 - Caluma Black Upholstery



VF6 - Black Leatherette

VF7 - Maturin Black Upholstery

ACCESSORIES HIGHLIGHTS

- All-season floor mats
- Loading roller (for basic carrier bars)
- Roof rack basic carrier
- Trailer hitch
- Wind deflectors for front windows, set
- Roof box
- Folding table (requires base module)

Contact dealer for full list of accessories.

For paint availability, please contact your dealer.

ENDNOTES

TBD values to be updated at a later date.

- 1. Active Brake Assist may not be sufficient to avoid an accident. It does not react to certain stationary objects, nor recognize or predict the curvature, and/or lane layout of the road or every movement of vehicles ahead. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking, and other driving inputs necessary to retain control of the vehicle. Drivers are cautioned not to wait for the system's alerts before braking, as that may not afford sufficient time and distance to brake safely. See Operator's Manual for system's operating speeds, and additional information and warnings.
- Driving while drowsy or distracted is dangerous and must be avoided. ATTENTION ASSIST® may be insufficient to alert a fatigued or distracted driver, and cannot be relied on to avoid an accident or serious injury.
- 3. Blind Spot Assist is a warning system only, and may not be sufficient to avoid all accidents involving vehicles in your blind spot and does not estimate the speed of approaching vehicles. It should not be used as a substitute for driver awareness and checking of surrounding traffic conditions. See Operator's Manual for system's operating speeds, and additional information and warnings.
- 4. Rear Cross-Traffic Alert is not a substitute for actively checking around the vehicle for any obstacles or people. It may not detect certain objects based on their size, path, proximity, or speed and angle of approach, or due to sensor obstruction, and does not control steering angle. See Operator's Manual for additional information, tips, and warnings.
- 5. Active Distance Assist DISTRONIC® is no substitute for active driving involvement. It does not adapt cruising speed in response to stationary objects, nor does it predict the curvature and lane layout of the road ahead, or the movement of vehicles ahead. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking, and other driving inputs necessary to retain control of the vehicle. Drivers are cautioned not to wait for the system's alerts before braking, as that may not afford sufficient time and distance to brake safely. Braking effectiveness also depends on proper brake maintenance, and tire and road conditions. See Operator's Manual for system's operating speeds, and additional information and warnings.
- 6. 360° camera does not audibly notify driver of nearby objects and is not a substitute for actively checking around the vehicle for any obstacles or people. Images displayed may be limited by camera field of view, weather, lighting conditions, and the presence of dirt, ice, or snow on the camera.
- 7. Crosswind Assist can engage automatically when sensing dangerous wind gusts at highway speeds exceeding 50 mph. Performance is limited by wind severity and available traction, which snow, ice, and other conditions can affect. Always drive activity. Consistent with conditions.
- 8. No system, regardless of how advanced, can overcome the laws of physics or correct careless driving. Please always wear your seat belt. Performance is limited by available traction, which snow, ice, and other conditions can affect. Always drive carefully, consistent with conditions. Best performance in snow is obtained with winter tires.
- 9. Warning: the forces of a deploying airbag can cause serious or fatal injuries to a child under age 13. The safest seating position for your child is in a rear seat, belted into an appropriate, properly installed child seat, or correctly wearing a seat belt if too large for a child seat. See Operator's Manual for additional warnings and information on airbags, seat belts, and child seats.
- Active Lane Keeping Assist may be insufficient to alert a fatigued or distracted driver of lane drift, and cannot be relied
 on to avoid an accident or serious injury.
- 11. Requires the use of ultra-low-sulfur diesel fuel. Mercedes-Benz Sprinters are approved to use B5 biodiesel (approved diesel fuel with a maximum 5% biodiesel content). The only approved biodiesel content is one that both meets ASTM D6751 specifications and has the oxidation stability necessary to prevent deposit-/corrosion-related damages to the system (min. 6h, proven by EN14112 method). Please see your service station for further information. If the B5 biodiesel blend does not clearly indicate that it meets the above standards, please do not use it. The Mercedes-Benz Vans New Vehicle Limited Warranty does not cover damage caused by fuel standards not approved by Mercedes-Benz Vans.
- Driver is responsible for monitoring fluid levels and tire pressure between service visits. See Maintenance Booklet for details.
- 13. MY19 Sprinter won the 2019 ALG Residual Value Award in the Fullsize Commercial Van segment. ALG is the industry henchmark for residual values and depreciation data, www.alg.com.
- 14. B2B connectivity is available for the Contiguous US, Hawaii, and Alaska with the MY21 Sprinter. Contact an authorized Mercedes-Benz Vans dealership for more information.
- 15. When the Emergency Call System is triggered, the following data are automatically transmitted: vehicle identification number, GPS position, direction of travel, time of the emergency call, language setting, and number of occupants in the cab. The Emergency Call System is activated from the moment the vehicle is delivered to the customer following a sale. No separate terms of use have to be accepted. The Communication Module for Digital Services and the emergency call button are necessary for use of the Emergency Call System service. The availability of the service in addition to the integrated Communication Module for Digital Services (LTE) depends on the network coverage of the mobile network provider. The Communication Module for Digital Services (LTE) is not available in the US Virgin Islands or Puerto Rico.
- 16. The information from this service is shown on the touchscreen of the multimedia system. Live Traffic Information can only be used in conjunction with the MBUX multimedia system with 7-inch touchscreen and navigation or the MBUX multimedia system with 10.25-inch touchscreen. While the navigation system provides directional assistance, the driver must remain focused on safe driving behavior, including paying attention to traffic and street signs. The driver should utilize the system's audio cues while driving and should only consult the map or visual displays once the vehicle has been stopped in a safe place. Maps do not cover all areas or all routes within an area. Please follow all applicable federal, state, and local laws and restrictions.
- 17. A valid subscription to Live Traffic Information is necessary to use Car-to-X Communication. Car-to-X Communication can only be used in conjunction with the MBUX multimedia system with 7-inch touchscreen and navigation, or the MBUX multimedia system with 10:25-inch touchscreen. Only the data of vehicles directly affected by the event and equipped with Car-to-X Communication are processed, therefore you may not always receive a timely warning of hazards through this system.

- 18. The available data can vary according to the vehicle model. The tire pressure can only be shown on certain model configurations. Display of the AdBlue® level is only available in conjunction with the optional SCR Generation 3 emissions control and only available with diesel models.
- 19. The Remote Control function via the Mercedes me connect App makes it possible for you to view the status of the doors and windows. The driver is also able to unlock the vehicle using a code via the Mercedes me connect App, and also check the status of and operate the auxiliary heater. This function is only available in conjunction with an optional auxiliary heater (hot-water heater).
- 20. MBUSA reserves the right to change or discontinue B2B connectivity services and Mercedes me connect services at any time without prior notification or incurring any future obligation. See the terms of the B2B connectivity and Mercedes me connect Overview of Services.
- 21. The wireless Internet in the Car is provided by AT&T and created via an integrated SIM card. A contract must be made with AT&T in order to access data services, and this contract can be made with the help of the MBUX multimedia system. A mobile device is required to complete enrollment. Mobile device will need to be connected to the WiFI Hotspot of the MBUX multimedia system by selection and PIN submission displayed in the MBUX multimedia system. Devices sold separately. Activation and deactivation of Internet in the Car is only possible via data contract with AT&T. Additional costs may apply depending on the amount of data used. In addition to a data contract with AT&T, either an MBUX multimedia system with 17.8 cm (7-inch) touchscreen and navigation, or satellite radio or the MBUX multimedia system with 12-6 mt (10.25-inch) touchscreen is required.
- 22. In order to prevent distracted driving, the use of the Mercedes me connect App is not permitted while operating a motor vehicle. If used while operating a motor vehicle, there is an increased risk of endangering oneself and others. Please follow your local laws and restrictions.
- 23. The availability of services in addition to the integrated Communication Module depends on the network coverage of the mobile network provider. The Communication Module (LTE) is not available in the US Virgin Islands or Puerto Rico. The Communication Module for Digital Services (LTE) is standardly equipped in the MY21 Sprinter.
- 24. Apple CarPlay® is a product of Apple Inc. Android™ Auto is a product of Google Inc. Device and app providers' terms and privacy statements apply. Requires connected compatible device and data plan. Apps, content, and features are selected solely by their providers. Connection to apps and streaming services may be limited by the device's network connection. Data usage is routed through device and subject to fees, charges, and restrictions in user's wireless plan. Vehicle's factory audio/information interface, including COMAND® navigation, may not be used simultaneously with Apple CarPlay® or Android™ Auto. When Apple CarPlay® or Android™ auto is in use, the steering-wheel voice control button accesses Siri® or Google voice recognition software for voice commands.
- 25. Unsecured cargo can become hazardous in a collision. Always secure cargo.
- 26. Maximum permissible gross weight of the trailer, if the trailer is equipped with a separate functional braking system. Please make sure to comply with local trailer load regulations.
- 27. ExpertSOLUTIONS program vehicles are custom, special-order-only vehicles modified by the ExpertSOLUTIONS provider of your choice. Although the MBUSA warranty does not apply to the modifications, separate warranties offered by the ExpertSOLUTIONS provider may apply. Details are available from your local dealer.
- 28. Actual rates, terms, down payment, and program eligibility will be determined by the Mercedes-Benz Financial Services Credit Team based upon creditworthiness of customer.
- 29. TRAC leases are limited to motor vehicles leased to businesses and used at least 50% of the time for business purposes. Consult your tax or financial advisor for tax and accounting treatments.
- 30. The Mercedes-Benz Vans Roadside Assistance Program is available for vehicles covered under warranty and includes such services as towing, jump-start in the event of a dead battery, and assistance with the installation of a spare tire. Service charges apply for out-of-warranty vehicles.
- 31. Traffic Sign Assist is not a substitute for driver awareness to posted speed limits and other conditions. Driver is responsible for safely operating vehicle in accordance with local traffic laws and driving conditions.

©2021 Mercedes-Benz USA, LLC, One Mercedes-Benz Drive, Sandy Springs, GA 30328 1-877-762-8267

All illustrations and specifications contained in this brochure are based on the latest product information available at the time of publication. All measurements are according to SAE J1100. Mercedes-Benz reserves the right to make changes at any time, without notice, to colors, materials, equipment, specifications, and models. Any variations in colors shown are due to reproduction variations of the printing process. Illustrations may include test situations. Some vehicles may be shown with non-U.S. equipment. Some vehicles are shown with optional equipment available at extra cost. Some optional equipment may not be available individually and/or on all models. For current information regarding the range of models, standard features, optional equipment, and/or colors available in the U.S. and their pricing, please contact your nearest authorized Mercedes-Benz Vans dealer. All rights reserved. Bluetooth[®] is a registered trademark of Bluetooth SIG inc.

www.MBVans.com

